Author Index to Volume 71

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor, and those with (T) designate title only.

Adel, Arthur. Absorption line width in the rotation spectrum of atmospheric water vapor—806

—— Atmospheric temperatures from infra-red emission spectra of the moon and earth—564(L)

Affens, W. A. (see Doty, P. M.)—485(A)

Ageno, M., E. Amaldi, D. Bocciarelli, and G. C. Trabacchi. On the scattering of fast neutrons by protons and deuterons—20

Ahearn, A. J. (see Wooldridge, D. E.)—913(L)

Aldrich, L. T. (see Fairbank, Henry A.)—911(L)

—— **and A. O. Nier.** Abundance of He^3 in helium—143(A)

Allen, J. S. Use of electron multiplier tubes in experimental nuclear physics—462(T)

Allison, Samuel K., Leticia Del Rosario, Joan Hinton, and Howard Wilcox. Reconstruction of a 400-kv d.c. high potential source—139(A)

Allmand, D. E. (see Metzelaar, P. N.)—475(A)

Alpert, N. L. (see Bitter, F.)—738(L)

Amaldi, E. (see Ageno, M.)—20

—— **and B. N. Cacciapuoti.** On the dependence of nuclear radius on the mass number—739(L)

Anderson, E. E. (see Sutton, R. B.)—272(L)

Anderson, H. L. and A. Novick. Magnetic moment of the triton—372(L)

Anderson, O. E. and H. E. White. Hyperfine structure and the nuclear spin of U^{235}—911(L)

Andrews, C. L. Diffraction pattern of a circular aperture at short distances—777

Andrews, R. D. (see Mochulsky, M.)—487(A)

Apker, L., E. Taft, and J. Dickey. Total-energy distributions of photoelectrons from poly-crystalline tungsten—473(A)

Arley, Niels. Remarks on Dr. Bhabha's note "On the expansibility of solutions in powers of the interaction constants"—272(L)

Armistead, Fontaine C. (see Ney, Edward P.)—14, 138(A)

Arnold, George P. (see Sturm, William J.)—556(L)

Arnold, Wayne R. and Arthur Roberts. Magnetic moments of the neutron and the deuteron—878

Arrøe, O. H. (see Bøggild, J. K.)—281

Ashkin, J. and R. E. Marshak. Neutron-proton and proton-proton scattering at 200 Mev—467(A)

Aten, A. H. W., Jr. High energy ions in crystal lattices—641(L)

Baez, A. V. (see Kirkpatrick, Paul)—470(A), 521

Bailey, Carl L. (see Nuckolls, Richard G.)—140(A)

Baker, E. B. (see Boyer, R. F.)—488(A)

Baldwin, G. C. (see Klaiber, G. S.)—649

—— (see Luebke, E. A.)—657

—— **and G. S. Klaiber.** Analysis of high energy x-ray spectra—554(L)

—— **and G. S. Klaiber.** Photo-fission in heavy elements—3

Bale, W. F. Biological effects of nuclear radiation—744(T)

Balseiro, A. José. Angular momentum of photons—79

Band, William (see Meyer, Lothar)—828(L)

Baños, Alfredo, Jr. and M. L. Perusquía. Cosmic ray directional counter for the determination of the azimuthal variation of primary cosmic radiation at fixed zenith angles—276(A)

Barbre, N. H. and M. Goldhaber. Resonance scattering of neutrons by Mn—141(A)

Bardeen, John. Surface states and rectification at a metal semi-conductor contact—717

—— (see Townes, C. H.)—644(L), 829(L)

Bargmann, V. On nearly glancing reflection of shocks—473(A)

Barker, Edgar C. Total disintegration energy of Na^{24}—453(L)

Barnes, S. W. The 130 cyclotron at Rochester—744(T)

Barnett, S. J. and D. S. Webber. Note on a discrepancy in gyromagnetic measurements and the question of a possible variation of the torsional modulus of German silver with frequency—143(A)

—— **and D. S. Webber.** Note on a variation with frequency of the torsional modulus of German silver wire—895

Barr, E. Scott. Voltaic effects in waterglass—832(A)

Barton, Vola P. and George A. Lindsay. The K x-ray absorption edge of silicon—406; Erratum—736(L)

Beams, J. W. and James L. Young, III. Centrifugal fields—131(L)

—— **and James L. Young, III.** Production of constant high rotational speeds—835(A)

Beck, Paul A., Joseph C. Kremer, and L. Demer. Grain growth in high purity aluminum—555(L)

Becker, Robert A., A. O. Hanson, and B. C. Diven. Thresholds for the photo-disintegration of Li^7, Mg^{24}, Al^{27}, Si^{28}, S^{32}, and Ca^{40}—466(A)

Bell, P. R. (see Jordan, W. H.)—482(A)

Bender, R. S., F. C. Shoemaker, and J. L. Powell. Width of 985 kev Al (p, γ) resonance—905(L)

Benedikt, Elliot T. and Herta R. Leng. On the existence of single magnetic poles—454(L), 480(A)

Bennett, G. S. Gyroscopic effects in a vibratory system—481(A)

Bennett, W. E. and H. T. Richards. Neutrons from $C^{12}+D$—565

——, **T. W. Bonner, H. T. Richards, and B. E. Watt.** Disintegration of Li^7 by deuterons—11

Bennett, William E. (see Nuckolls, Richard G.)—140(A)

Benson, B. B. (see Pollard, E. C.)—134(A)

Benzer, S. Ge—Ge contacts—141(A)

Berenda, Carlton W. Notes on the Wheeler-Feynman theory—550(L)

Bergman, Stefan. On an operator method in the theory of two-dimensional flows of a compressible fluid—474(A)

Bergmann, Peter G. Scattering from statistically distributed scatterers—469(A)

Bergstrahl, Thor (see Nuckolls, Richard G.)—140(A)

Author Index to Volume 71

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor, and those with (T) designate title only.

Adel, Arthur. Absorption line width in the rotation spectrum of atmospheric water vapor—806

—— Atmospheric temperatures from infra-red emission spectra of the moon and earth—564(L)

Affens, W. A. (see Doty, P. M.)—485(A)

Ageno, M., E. Amaldi, D. Bocciarelli, and G. C. Trabacchi. On the scattering of fast neutrons by protons and deuterons—20

Ahearn, A. J. (see Wooldridge, D. E.)—913(L)

Aldrich, L. T. (see Fairbank, Henry A.)—911(L)

—— **and A. O. Nier.** Abundance of He^3 in helium—143(A)

Allen, J. S. Use of electron multiplier tubes in experimental nuclear physics—462(T)

Allison, Samuel K., Leticia Del Rosario, Joan Hinton, and Howard Wilcox. Reconstruction of a 400-kv d.c. high potential source—139(A)

Allmand, D. E. (see Metzelaar, P. N.)—475(A)

Alpert, N. L. (see Bitter, F.)—738(L)

Amaldi, E. (see Ageno, M.)—20

—— **and B. N. Cacciapuoti.** On the dependence of nuclear radius on the mass number—739(L)

Anderson, E. E. (see Sutton, R. B.)—272(L)

Anderson, H. L. and A. Novick. Magnetic moment of the triton—372(L)

Anderson, O. E. and H. E. White. Hyperfine structure and the nuclear spin of U^{235}—911(L)

Andrews, C. L. Diffraction pattern of a circular aperture at short distances—777

Andrews, R. D. (see Mochulsky, M.)—487(A)

Apker, L., E. Taft, and J. Dickey. Total-energy distributions of photoelectrons from poly-crystalline tungsten—473(A)

Arley, Niels. Remarks on Dr. Bhabha's note "On the expansibility of solutions in powers of the interaction constants"—272(L)

Armistead, Fontaine C. (see Ney, Edward P.)—14, 138(A)

Arnold, George P. (see Sturm, William J.)—556(L)

Arnold, Wayne R. and Arthur Roberts. Magnetic moments of the neutron and the deuteron—878

Arrøe, O. H. (see Bøggild, J. K.)—281

Ashkin, J. and R. E. Marshak. Neutron-proton and proton-proton scattering at 200 Mev—467(A)

Aten, A. H. W., Jr. High energy ions in crystal lattices—641(L)

Baez, A. V. (see Kirkpatrick, Paul)—470(A), 521

Bailey, Carl L. (see Nuckolls, Richard G.)—140(A)

Baker, E. B. (see Boyer, R. F.)—488(A)

Baldwin, G. C. (see Klaiber, G. S.)—649

—— (see Luebke, E. A.)—657

—— **and G. S. Klaiber.** Analysis of high energy x-ray spectra—554(L)

—— **and G. S. Klaiber.** Photo-fission in heavy elements—3

Bale, W. F. Biological effects of nuclear radiation—744(T)

Balseiro, A. José. Angular momentum of photons—79

Band, William (see Meyer, Lothar)—828(L)

Baños, Alfredo, Jr. and M. L. Perusquía. Cosmic ray directional counter for the determination of the azimuthal variation of primary cosmic radiation at fixed zenith angles—276(A)

Barbre, N. H. and M. Goldhaber. Resonance scattering of neutrons by Mn—141(A)

Bardeen, John. Surface states and rectification at a metal semi-conductor contact—717

—— (see Townes, C. H.)—644(L), 829(L)

Bargmann, V. On nearly glancing reflection of shocks—473(A)

Barker, Edgar C. Total disintegration energy of Na^{24}—453(L)

Barnes, S. W. The 130 cyclotron at Rochester—744(T)

Barnett, S. J. and D. S. Webber. Note on a discrepancy in gyromagnetic measurements and the question of a possible variation of the torsional modulus of German silver with frequency—143(A)

—— **and D. S. Webber.** Note on a variation with frequency of the torsional modulus of German silver wire—895

Barr, E. Scott. Voltaic effects in waterglass—832(A)

Barton, Vola P. and George A. Lindsay. The K x-ray absorption edge of silicon—406; Erratum—736(L)

Beams, J. W. and James L. Young, III. Centrifugal fields—131(L)

—— **and James L. Young, III.** Production of constant high rotational speeds—835(A)

Beck, Paul A., Joseph C. Kremer, and L. Demer. Grain growth in high purity aluminum—555(L)

Becker, Robert A., A. O. Hanson, and B. C. Diven. Thresholds for the photo-disintegration of Li^7, Mg^{24}, Al^{27}, Si^{28}, S^{32}, and Ca^{40}—466(A)

Bell, P. R. (see Jordan, W. H.)—482(A)

Bender, R. S., F. C. Shoemaker, and J. L. Powell. Width of 985 kev Al (p, γ) resonance—905(L)

Benedikt, Elliot T. and Herta R. Leng. On the existence of single magnetic poles—454(L), 480(A)

Bennett, G. S. Gyroscopic effects in a vibratory system—481(A)

Bennett, W. E. and H. T. Richards. Neutrons from $C^{12}+D$—565

——, **T. W. Bonner, H. T. Richards, and B. E. Watt.** Disintegration of Li^7 by deuterons—11

Bennett, William E. (see Nuckolls, Richard G.)—140(A)

Benson, B. B. (see Pollard, E. C.)—134(A)

Benzer, S. Ge—Ge contacts—141(A)

Berenda, Carlton W. Notes on the Wheeler-Feynman theory—550(L)

Bergman, Stefan. On an operator method in the theory of two-dimensional flows of a compressible fluid—474(A)

Bergmann, Peter G. Scattering from statistically distributed scatterers—469(A)

Bergstrahl, Thor (see Nuckolls, Richard G.)—140(A)

Beringer, R. Experiments in gaseous absorption at microwave frequencies—133(T)
Bernstein, S., W. M. Preston, G. Wolfe, and R. E. Slattery. High energy gamma-rays from U(235) fission—463(A)
——, **W. M. Preston, G. Wolfe, and R. E. Slattery.** Yields of photo-neutrons from U^{235} fission products in heavy water—140(A), 573
Best, N., R. Havens, and H. LaGow. Pressure and temperature of the atmosphere to 120 km—915(L)
Bethe, H. A. (see Von der Lage, Fred C.)—612
Bhagavantam, S. and D. Suryanarayan. Elastic constants of sodium chlorate—553(L)
Billmeyer, Fred W. Measurements of the refractive index of films—489(A)
Biondi, Manfred A. and Sanborn C. Brown. High frequency probe measurements of electron attachment and ambipolar diffusion—481(A)
Birch, A. J. (see MacDonald, D. K. C.)—563(L); Erratum—829(L)
Birch, Francis. Finite elastic strain of cubic crystals—809
Birkhoff, Garrett and Thomas E. Caywood. Fluid flow patterns—470(A)
Bitter, F., N. L. Alpert, H. L. Poss, C. G. Lehr, and S. T. Lin. Nuclear magnetic resonances at low temperature—738(L)
Blackburn, Wayne E. Temperature coefficient of electrical resistivity for crystalline selenium containing various percentages of bromine—277(A)
Blatt, John M. On the Heitler theory of radiation damping—468(A)
Bleakney, Walker (see Mariner, Thomas)—139(A)
Bloch, F., A. C. Graves, M. Packard, and R. W. Spence. Relative moments of H_1 and H_3—551(L)
——, **A. C. Graves, M. Packard, and R. W. Spence.** Spin and magnetic moment of tritium—373(L)
Bloembergen, N., R. V. Pound, and E. M. Purcell. Width of the nuclear magnetic resonance absorption line in gases, liquids, and solids—466(A)
Bocciarelli, D. (see Ageno, M.)—20
Bøggild, J. K., O. H. Arrøe, and T. Sigurgeirsson. Cloud-chamber studies of electronic and nuclear stopping of fission fragments in different gases—281
Bohm, D. and C. Richman. On the neutron-proton scattering cross section—567
Bonner, N. A., G. Freidlander, L. P. Pepkowitz, and M. L. Perlman. Search for the transmutation products of gamma-meson reactions induced by 100-Mev x-rays—511
Bonner, T. W. (see Bennett, W. E.)—11
Boothby, O. L. and R. M. Bozorth. New material of high permeability—472(A)
Bottom, Virgil E. Effect of x-rays on the elastic constants of quartz—476(A)
Boyd, G. E. (see Motta, E. E.)—210(L)
Boyer, R. F., E. B. Baker, and P. C. Woodland. Some dielectric properties of butadiene-containing polymers and copolymers—488(A)
Bozorth, R. M. (see Boothby, O. L.)—472(A)
Bradner, Hugh. Photoelectric emission from a rough surface—269(L)
Bradt, H. L. and P. Scherrer. Ninety-three kev-γ-line of UX_1—141(A)
Brattain, R. R. Recent progress in applied absorption spectroscopy—274(T)
Bray, Ralph and K. Lark-Horovitz. Photo- and thermo-effects in p-type germanium rectifiers—141(A)
Breit, G. Relativistic corrections to magnetic moments of nuclear particles—400
—— Scattering of slow neutrons by bound protons I. Methods of calculation—215
—— **and B. T. Darling.** Calculation of angular distributions in resonance reactions—141(A)
—— **and B. T. Darling.** Note on the calculation of angular distributions in resonance reactions—402
—— **and P. R. Zilsel.** Scattering of slow neutrons by bound protons. II. Harmonic binding—neutrons of zero energy—232
Brentano, J. C. M. and L. van Clief Spencer. Determination of the lattice spacing of silver bromide for varying x-ray exposures—142(A)
Bridge, Herbert and Bruno Rossi. Cosmic-ray bursts in an unshielded chamber and under one inch of lead at different altitudes—379(L)
Brillouin, L. Wave guides for slow waves—483(A)
Brinkley, Stuart R., Jr. and John G. Kirkwood. Theory of the propagation of shock waves—606
Brobeck, W. M., E. O. Lawrence, K. R. MacKenzie, E. M. McMillan, R. Serber, D. C. Sewell, K. M. Simpson, and R. L. Thornton. Initial performance of the 184-inch cyclotron of the University of California—449
Brody, S. B. (see Nierenberg, W. A.)—466(A)
Brosi, A. R. (see Motta, E. E.)—210(L)
Broström, K. J., T. Huus, and R. Tangen. Gamma-ray yield curve of aluminum bombarded with protons—661
Brown, F. C. Transmission of energy from radiation on silicon crystals—472(A)
Brown, Leon J. (see Mitchell, Allan C. G.)—140(A)
—— (see Ogle, Wm.)—378(L)
Brown, S. C. Microwave studies of electrical discharges in gases—133(T)
—— (see Biondi, Manfred A.)—481(A)
—— (see Kerr, Donald E.)—480(A)
Browne, S. H. and T. Dantzig. On the theory of slowing down neutrons in substances with periodic absorption lines—463(A)
Buchanan, J. O. (see Watson, W. W.)—887
Buckingham, R. A. (see Massey, H. S. W.)—558(L); Erratum—829(L)
Buechner, W. W., E. A. Burrill, A. Sperduto, R. J. Van de Graaff, and H. Feshbach. Further experiments on the elastic single scattering of electrons by nuclei—142(A)
——, **R. J. Van de Graaff, E. A. Burrill, and A. Sperduto.** Investigation of thick targets x-ray production in the range from 1250 to 2350 kv—470(A)
Burrill, E. A. (see Buechner, W. W.)—142(A), 470(A)
Burton, J. A. (see Wooldridge, D. E.)—913(L)

Cacciapuoti, B. N. (see Amaldi, E.)—739(L)
Callen, H. B. (see von Hippel, A.)—488(A)
Cameron, A. E. (see White, J. R.)—907(L)

Cary, Howard and K. P. George. Sensitive high speed radiation thermocouple—276(A)
Caywood, Thomas E. (see Birkhoff, Garrett)—470(A)
Chako, N. Motion of charged particles in inhomogeneous anisotropic media—469(A)
—— Piezoelectric vibrations of Rochelle salt plates—485(A)
Chamberlain, O., J. W. Gofman, E. Segrè, and A. C. Wahl. Range measurements of alpha-particles from 94^{239} and 94^{238}—529
Chao, S. C. (see Wu, C. K.)—118
Chastel, R. (see Tsien, San-Tsiang)—382(L)
Cheka, J. S. Preliminary evaluation of "special fine grain particle film" for use in neutron monitoring—836(A)
Christian, S. M. Integrating $\sin^2 x/x$—836(A)
Christy, Robert F. Design of a small nuclear reactor—274(T)
—— (see Mills, M. M.)—275(A)
—— **and S. Rubin.** Angular distribution of α-particles from Li^7+p—275(A)
Clarke, E. T. Nuclear excitation functions. II. Al^{27} $(d; p, \alpha)$ Na^{24}—187
Clauser, Francis. Notes on the thermodynamic propulsion of wind tunnels—465(A)
Cobine, J. D. (see Gallagher, C. J.)—481(A)
Coggeshall, Norman D. Fringing flux corrections for magnetic focusing devices—482(A)
Cole, R. H. and J. S. Coles. Propagation of spherical shock waves in water—128(L)
Coles, D. K. (see Dakin, T. W.)—640(L)
—— (see Good, W. E.)—383(L)
Coles, J. S. (see Cole, R. H.)—128(L)
Collins, G. B. Plans of the Brookhaven National Laboratory—744(T)
Conklin, Richard (see Ogle, Wm.)—378(L)
Conversi, M., E. Pancini, and O. Piccioni. On the disintegration of negative mesons—209(L); Erratum—557(L)
Cook, C. S. (see Langer, L. M.)—906(L)
Cork, J. M. Escape probability of protons and neutrons from bombarded bismuth—144(A)
—— (see Tatel, H. E.)—159
Cork, James M. and Franklin B. Shull. Internally converted gamma-radiation from tantalum (182)—467(A)
Corson, E. M. Invariant form of quantum equations and the Schroedinger-Heisenberg parallelism—200
—— **and I. Kaplan.** Oscillator concept in the theory of solids—130(L)
Corvalen, M. I. Concentration of plutonium in pitchblende—132(L)
Crane, H. R. (see Levinstein, H.)—476(A)
Crawford, G. W. and F. T. Rogers, Jr. Two non-linear springs—833(A)
Creutz, Edward C. (see Wilson, Robert R.)—339
Critchfield, Charles L. Electron waves in the magnetic dipole fields of a neutron—258
——. Interaction between meson and nucleon—908(L)
Cross, Paul C. (see King, Gilbert W.)—433

Dakin, T. W., W. E. Good, and D. K. Coles. Bond distances in OCS from microwave absorption lines—640(L)
Daly, J. F. (see Langer, R. M.)—464(A)
Daniel, J. H. (see Hanson, E. E.)—487(A)
Dantzig, T. (see Browne, S. H.)—463(A)
Darling, B. T. (see Breit, G.)—141(A), 402
Dauphinee, T. McC. (see Smith, H. D.)—487(A)
Davison, B. Remark on the variational method—694
—— **and W. H. Watson.** On the distribution of electric charge in nuclei—742(L)
Davison, P. W. (see Elder, F. K., Jr.)—917(L)
De Benedetti, S. and E. H. Kerner. Gamma-rays of Po^{210}—122(L)
—— **and F. K. McGowan.** Metastable state of half-life about 10^{-6} second in Re^{187}—380(L)
Debye, P. Relation between intrinsic viscosity and molecular weight in polymer solutions—486(A)
Del Rosario, Leticia (see Allison, Samuel K.)—139(A)
Demer, L. (see Beck, Paul A.)—555(L)
Demers, Pierre. Pairs of fission fragments—483(A)
Dempster, A. J. Abnormal isotope abundances produced by neutron absorption in cadmium—144(A)
——, Isotopic changes in cadium by neutron absorption—829(L)
—— (see Lapp, R. E.)—745
Dennison, David M. (see Shull, Franklin B.)—681
de Oyarzábal, J. (see Vallarta, M. S.)—393
D'Eustachio, D. Some new results on the recrystallization of quartz—476(A)
Deutsch, M. (see Osborne, R. K.)—467(A)
—— (see Siegbahn, Kai)—483(A)
Dibeler, Vernon H., C. Edward Wise, Jr., and Fred L. Mohler. Metastable ion transitions in the mass spectra of the monochloropropenes—381(L)
Dicke, R. H. Čerenkov radiation counter—737(L)
Dickey, J. (see Apker, L.)—473(A)
Diven, B. C. (see Becker, Robert A.)—466(A)
Doermann, A. H. (see Underwood, N.)—834(A)
Doty, P. M., W. A. Affens, and B. H. Zimm. Determination of macromolecular configurations in dilute solution by light scattering—485(A)
Dresden, M. Hydrodynamical equations in quantum mechanics—143(A)
Dubs, Charles and F. T. Rogers, Jr. Alternative basic theories for the carbon-pile type of voltage-regulator—834(A)
Duckworth, Henry E. and Benjamin G. Hogg. Relative abundance of the copper isotopes and the suitability of the photometric method for detecting small variations in isotopic abundance—212(L)
Duffin, R. J. Lower bounds for eigenvalues—827(L)
Dunlap, W. Crawford, Jr. Hall effect and magneto-resistance in germanium—471(A)
Dunning, J. R. (see Rainwater, L. J.)—65
Durand, E., J. J. Oberly, and R. Tousey. Solar absorption lines between 2950 and 2200 Angstroms—827(L)

Eastmond, E. J. Spectrophotometric study of reflectance color changes in foods—274(A)
Eckart, Carl. Viscous and thermal absorption of sound as relaxation phenomena—277(A)
Edwards, R. R. (see Glendenin, L. E.)—742(L)

Eggler, C. (see Hughes, D. J.)—269(L)
Ehrenhaft, Felix. Electrophotophoresis and electric charges smaller than the electronic charge—143(A)
—— General movement of matter possessing six degrees of freedom in fields is helical—480(A)
—— Single magnetic poles and cosmic radiation—138(A)
Einstein, H. A. On the hydraulic analogy between surface waves on a liquid and pressure waves in a compressible fluid—473(A)
Eisenstein, A. Study of the barium silicate interface of oxide coated cathodes—473(A)
Eisner, Melvin and Nathan Rosen. Neutron-proton scattering—835(A)
—— **and Joseph W. Straley.** Conductivity of sodium-ammonia solutions—832(A)
Elder, F. K., Jr. (see Watson, W. W.)—887
——, **H. T. Motz and P. W. Davison.** Protons from the deuteron bombardment of separated neon isotopes—917(L)
Elder, F. R. (see Pollock, H. C.)—462(T)
——, **A. M. Gurewitsch, R. V. Langmuir, and H. C. Pollock.** Radiation from electrons in a synchrotron—829(L)
Eliezer, C. Jayaratnam. The hydrogen atom in a generalized classical electrodynamics—49
Engelkemeir, Don (see Seren, Leo)—409
English, W. N. Corona from fine positive points—638(L)
Ergen, William Krasny. Bridge type electrical computers—138(A)
Estermann, I., A. Foner, and J. A. Randall. Resistivity of germanium at low temperatures and the effect of additions—484(A)
——, **S. N. Foner, and O. Stern.** Mean free paths of cesium atoms in helium, nitrogen, and cesium vapor—250
——, **O. C. Simpson, and O. Stern.** Free fall of atoms and the measurement of the velocity distribution in a molecular beam of cesium atoms—238
Eyestone, S. F. (see Gilvarry, John J.)—482(A)

Fairbank, Henry (see Lane, C. T.)—477(A)
——, **William Fairbank, and C. T. Lane.** Temperature dependence of "second sound" velocity—477(A)
——, **C. T. Lane, L. T. Aldrich, and Alfred O. Nier.** Concentration of He^3 in the liquid and vapor phases of He^4—911(L)
Fairbank, William (see Fairbank, Henry)—477(A)
—— (see Lane, C. T.)—477(A), 600
Fano, U. Fluctuations of ionization yield—480(A)
Farwell, G., E. Segrè, and C. Wiegand. Long range alpha-particles emitted in connection with fission. Preliminary report—327
Feenberg, Eugene. Nuclear energy surface—468(A)
Feld, Bernard T., R. Scalettar, and L. Szilard. Use of threshold detectors for fast neutron studies—464(A)
Fermi, E. and L. Marshall. Interference phenomena of slow neutrons—666
—— **and L. Marshall.** Phase of scattering of thermal neutrons by aluminum and strontium—915(L)
——, **W. J. Sturm, and R. G. Sachs.** Transmission of slow neutrons through microcrystalline materials—589
——, **E. Teller, and V. Weisskopf.** Decay of negative mesotrons in matter—314
Feshbach, H. (see Buechner, W. W.)—142(A)
——, **D. C. Peaslee, and V. F. Weisskopf.** On the scattering and absorption of particles by atomic nuclei—145; Erratum—564(L)
Fields, R., B. Russell, D. Sachs, and A. Wattenberg. Total cross sections measured with photo-neutrons—508
Finkelstein, R. Normal reflection of shock waves—42
Fitzgerald, J. W. (see Weissler, Alfred)—488(A)
Foldy, Leslie L. On the meson theory of nuclear forces—276(A)
Foley, H. M. Note on the nuclear electric quadrupole spectrum of a homonuclear diatomic molecule in a magnetic field—747
Foner, A. (see Estermann, I.)—484(A)
Foner, S. N. (see Estermann, I.)—250
Forrester, A. Theodore (see Gerjuoy, Edward)—276(A), 375(L)
Forstat, H. (see Jesse, W. P.)—478(A)
Fowler, W. A. (see Lauritsen, C. C.)—279(A)
—— (see Lauritsen, T.)—275(A)
—— (see Rubin, Sylvan)—212(L)
Frei, H. and M. Schiffer. Separation by diffusion in fields of ultrasonic waves—555(L)
Freidlander, G. (see Bonner, N. A.)—511
Fretter, William B. Meson showers under lead at sea-level—462(A)
Friedland, S. S. Mass spectroscopic analysis of the polyatomic gases in a fast counter—377(L)
Friedlander, H. N. (see Seren, Leo)—409, 454, 463(A)
Frisch, David H. Distribution in energy of fission fragments near the fast fission threshold—478(A)
Frosch, C. J. (see Teal, G. K.)—462(T)
Froslie, H. M. (see Winans, J. G.)—137(A)
Furry, W. H. Remark on the correspondence treatment of radiation—468(A)
—— Two notes on phase-integral methods—360

Gallagher, C. J. and J. D. Cobine. Retrograde motion of an arc cathode spot in a magnetic field—481(A)
Gamow, G. Erratum: Expanding universe and the origin of elements—273(L)
—— Probability of nuclear meson-absorption—550(L)
George, K. P. (see Cary, Howard)—276(A)
Gerjuoy, Edward and A. Theodore Forrester. Possible use of thermal noise for low temperature thermometry—276(A), 375(L)
Getting, I. A. Proposed detector for high energy electrons and mesons—123(L)
Gideon, Donald (see Fu-Chun Yu)—382(L)
—— **and J. D. Kurbatov.** Correction of G.M. counter data for high counting rates. III—140(A)
Giese, John H. Compressible flows with degenerate hodographs—474(A)
Gigli, Alberto (see Giulotto, Luigi)—211(L)
Gill, Piara Singh. Azimuthal variations of cosmic radiation at Lahore—398, 462(A)

—— Production of mesotrons up to 30,000 feet at a magnetic latitude of 22° north—82
Gilvarry, John J. and S. F. Eyestone. Static method of simulating accelerations above one g—482(A)
Giulotto, Luigi. Fine structure of H_α—562(L)
—— **and Alberto Gigli.** Electrical conductivity of Na-ammonia solutions at low temperatures—211(L)
Glendenin, L. E. and R. R. Edwards. Note on the long-lived radio iodine—742(L)
Gofman, J. W. (see Chamberlain, O.)—529
—— (see Seaborg, G. T.)—378(L)
Goldberger, M. L. and Frederick Seitz. Theory of the refraction and the diffraction of neutrons by crystals—294
Goldhaber, M. (see Barbre, N. H.)—141(A)
——, **C. O. Muehlhause, and S. H. Turkel.** *L*-converted isomeric transitions—372(L), 467(A)
Golian, S. E. and E. H. Krause. Further cosmic-ray experiments above the atmosphere—918(L)
Good, W. E. (see Dakin, T. W.)—640(L)
—— **and D. K. Coles.** Microwave absorption frequencies of $N^{14}H_3$ and $N^{15}H_3$—383(L)
Goodman, B., A. W. Lawson, and L. I. Schiff. Thermal ionization of impurity levels in semi-conductors—191
Goodman, Leon J. and M. L. Pool. Radioactive isotopes of Re, Os, and Ir—288
Gordy, Walter. Microwave spectra—831(T)
—— **and Myer Kessler.** Microwave spectra: the hyperfine structure of ammonia—640(L)
——, **A. G. Smith, and James W. Simmons.** Microwave spectra: methyl iodide—917(L)
Gottschalk, Winston M. Line strengths in the FeI spectrum in intermediate coupling, with application to the solar curve of growth—133(A)
Goudsmit, S. A. Why Germany had no atomic bomb—137(T)
—— **and H. S. Snyder.** Statistics of single and plural scattering—478(A)
Graves, A. C. (see Bloch, F. A.)—373(L), 551(L)
—— **and R. L. Walker.** A method for measuring half-lives—1
Gregg, E. C. Alternating current probe for the measurement of magnetic fields—482(A)
Gross, B. On creep and relaxation—144(A)
Gross, Eugene, Shuichi Kusaka, and George Snow. Production of cosmic ray stars—463(A)
Gunn, Ross. Electrical charge on precipitation at various altitudes and its relation to thunderstorms—139(A), 181
Gurewitsch, A. M. (see Elder, F. R.)—829(L)
Guth, Eugene (see Holroyd, L. V.)—488(A)
—— (see Thompson, W. B.)—486(A)

Hagstrum, H. D. Molecular ionization and dissociation induced by electron impact—137(T)
—— On the dissociation energy of CO—376(L)
Hainer, R. M. (see King, Gilbert W.)—135(A), 433
Hall, E. O. λ-point of NH_4Cl and thermodynamic equilibria of the second order—916(L)
Hall, Leonard. Origin of excess ultrasonic absorption in water—318(L)
Halpern, Otto. Proposed experiment on the ponderomotive forces exerted by microwaves on dielectric media—277(A)
Halsey, George. Six rules for analyzing stress-strain curves—487(A)
Hamermesh, B. (see Korff, S. A.)—842
Hamermesh, Morton and Julian Schwinger. Neutron scattering in ortho- and parahydrogen—678
Hamilton, Donald R. Electron-neutrino angular correlation in beta-decay—456(L)
Hamilton, J. G. Behavior of fission products and of very heavy elements in biological phenomena—462(T)
Hannum, L. A. (see Jesse, W. P.)—478(A)
Hansen, J. M. and H. W. Webb. Specular reflection from mercury vapor—483(A)
Hanson, A. O. (see Becker, Robert A.)—466(A)
Hanson, E. E. and J. H. Daniel. Instrument for measuring particle diameters and constructing histograms from electron micrographs—487(A)
Harish-Chandra. On the relativistic wave equations—793
Harris, W. T. Proposed focusing cosmic-ray telescope—135(A), 310
Hart, A. L. (see Jesse, W. P.)—478(A)
Hartman, Lawton M. Thermal analog of the high frequency electron distribution—469(A)
——, **and Henry Margenau.** Harmonic components in a.c. discharges—481(A)
Harvey, E. Newton (see McMillen, J. Howard)—475(A)
Harworth, Keith (see Pockman, Leonard T.)—330, 470(A)
Havens, R. (see Best, N.)—915 (L)
Havens, W. W., Jr. (see Rainwater, L. J.)—65
—— (see Wu, C. S.)—174
——, **C. S. Wu, L. J. Rainwater, and C. L. Meaker.** Slow neutron velocity spectrometer studies II. Au, In, Ta, W, Pt, Zr—165
Hayden, Richard J. (see Inghram, Mark G.)—130(L), 144(A), 270(L), 561(L), 643(L), 743(L)
Haynes, S. K. Evaporation of gallium—832(A)
Henderson, W. J. Upper energy limit of the K^{40} beta-ray spectrum—323(L)
Herschberger, W. D. Absorption of microwaves by gases—133(T)
—— **and John Turkevich.** Absorption of methyl alcohol and methylamine for 1.25-cm waves—554(L)
Hess, David C., Jr. (see Inghram, Mark G.)—270(L), 561(L), 643(L), 743(L)
Hicks, Bruce L. On the characterization of fields of diabatic flow—476(A)
Hildebrand, J. H. Entropy of liquids and solutions—462(T)
Hill, E. L. Note on rotational motion in relativity theory—318(L)
—— Relativistic clock paradox—143(A)
Hillger, R. E. (see Strandberg, M. W. P.)—326(L), 639(L)
Hilton, W. F. Variation of aerodynamic lift in the transonic speed range—465(A)
Hinton, Joan (see Allison, Samuel K.)—139(A)
von Hippel, A., H. B. Callen, and W. B. Westphal. Frequency response characteristics of dielectric materials and their interpretation—488(A)

Hipple, J. A. Peak contour and half-life of metastable ions appearing in mass spectra—139(A), 594
Ho, Zah-Wei (see Tsien, San Tsiang)—382(L)
Hogg, Benjamin G. (see Duckworth, Henry E.)—212(L)
Holden, A. N. (see Townes, C. H.)—64(L), 479(A), 644(L), 829(L)
Holroyd, L. V., B. A. Mrowca, and Eugene Guth. Dielectric properties of rubber—particularly of loaded stock—488(A)
Holt, R. B. and O. Oldenberg. Spectroscopic study of the role of hydrogen peroxide in the thermal combination of hydrogen and oxygen—479(A)
Howland, J. J., D. H. Templeton, and I. Perlman. Artificial radioactive isotopes of polonium, bismuth, and lead—552(L)
Huddleston, C. M. (see Hughes, D. J.)—269(L)
Hughes, D. J., C. Eggler, and C. M. Huddleston. Half-life of Be^{10}—269(L)
Hughes, Donald J. Mass of the mesotron as determined by cosmic-ray measurements—387
Hughes, Richard H. and E. Bright Wilson, Jr. Microwave spectrograph—562(L)
Hulubei, Horia. Search for element 87—740(L)
Huntington, H. B. Pulsed ultrasonic measurements on some single crystals—472(A)
Huus, T. (see Broström, K. J.)—661
Hylleraas, Egil A. Electron affinity of positronium—491
—— **and Aadne Ore.** Binding energy of the positronium molecule—493
—— **and Aadne Ore.** Stability of polyelectrons—468(A)

Inghram, Mark G. and R. J. Hayden. Artificial activities produced in europium and holmium by slow neutron bombardment—130(L)
—— **and R. J. Hayden.** Some neutron induced activities in the rare earths—144(A)
——, **Richard J. Hayden, and David C. Hess, Jr.** Activities induced by pile neutron bombardment of samarium—643(L)
——, **Richard J. Hayden, and David C. Hess, Jr.** Neutron induced activities in lutecium, ytterbium, and dysprosium—270(L)
——, **David C. Hess, Jr., and Richard J. Hayden.** Neutron cross section for mercury isotopes—561(L)
——, **David C. Hess, Jr., Richard J. Hayden, and George W. Parker.** Fifty-five-hour element 61 formed in fission—743(L)
Ivey, D. G. (see Smith, H. D.)—487(A)

Jacobs, Harold and Armand P. LaRocque. Minimum sparking potentials of barium, magnesium, and aluminum in argon—138(A)
James, Hubert M. Decay of phosphorescence in Cu-activated ZnS—137(A)
Jehle, Herbert. Irreversible processes in stellar dynamics—469(A)
Jelatis, Demetrius G. High performance photo-galvanometer feedback amplifier—483(A)
Jesse, W. P., L. A. Hannum, H. Forstat, and A. L. Hart. Ionization chamber techniques in measurement of C^{14}—478(A)
Johnson, G. W. Ionization currents in cylindrical electrode systems—278(A)
Johnson, M. H. (see Rado, G. T.)—472(A)
——, **G. T. Rado, and M. Maloof.** Ferromagnetism at very high frequencies. I—Magnetic iron at 200 Mc—322(L)
——, **G. T. Rado, and M. Maloof.** Method to measure complex permeabilities of metals at UHF—472(A)
Johnson, V. A. and K. Lark-Horovitz. Low temperature resistivity of germanium semi-conductors—483(A)
—— **and K. Lark-Horovitz.** Transition from classical to quantum statistics in germanium semi-conductors at low temperatures—374(L); Erratum—909(L)
Jones, W. M. (see Stout, J. W.)—582
Jordan, Walter. New developments in instruments for counting and detecting nuclear particles—831(T)
Jordan, W. H. and P. R. Bell. Linear amplifier for general laboratory use—482(A)
Jurney, Ed. T. (see Mitchell, Allan C. G.)—324(L), 825(L)

Kane, Brother Gabriel. Magnetic ions and magnetic currents—458(L)
Kantrowitz, Arthur. Formation and stability of normal shock waves in channel flows—465(A)
Kaplan, I. (see Corson, E. M.)—130(L)
Kaplan, Joseph. Atmospheric bands of oxygen—274(A)
Kaplan, Nathan (see Yagoda, Herman)—910(L)
von Karman, Theodore (see Von Neumann, John)—462(T)
Kastler, A. and A. Rousset. Origin of low frequency Raman lines in organic crystals—455(L)
Katcoff, Seymour. Preliminary determination of the neutron absorption cross section of long-lived I^{129}—826(L)
Kê, T'ing-Sui. Boltzmann's superposition principle and the viscous behavior of grain boundaries in metals—142(A)
—— Experimental evidence of the viscous behavior of grain boundaries in metals—533
Kern, Walter P. (see Kerr, Donald E.)—480(A)
Kerner, E. H. (see De Benedetti, S.)—122(L)
Kerr, Donald E., Sanborn C. Brown, and Walter P. Kern. Microwave studies of dielectric properties of arcs—480(A)
Kerst, D. W. Design of the large Illinois betatron—137(T)
Kessler, Myer (see Gordy, Walter)—640(L)
King, Allen L. Arterial pulse wave velocities—482(A)
King, Gilbert W. and R. M. Hainer. Interpretation of the microwave absorption of HDO at 1.3 centimeters—135(A)
——, **R. M. Hainer, and Paul C. Cross.** Expected microwave absorption coefficients of water and related molecules—433
King, Ronold W. P. Physical interpretation of electromagnetic radiation from an antenna—134(A)
Kirkpatrick, Paul (see Pockman, Leonard T.)—330, 470(A)
—— **and A. V. Baez.** Absolute energy of $K\alpha$-radiation from thick silver targets—470(A), 521

Kirkwood, John G. (see Brinkley, Stuart R., Jr.)—606
Kittel, Charles. Interpretation of anomalous Larmor frequencies in ferromagnetic resonance experiment—270(L)
Klaiber, G. S. (see Baldwin, G. C.)—3, 554(L)
—— (see Luebke, E. A.)—657
——, **E. A. Luebke, and G. C. Baldwin.** Range-momentum measurements of particles emitted in nuclear disintegrations induced by 100-Mev x-rays—649
Kofoed-Hansen, O. Maximum β-energies and the mass of the neutrino—451
Kohn, W. Note on Weinstein's variational method—902
—— Two applications of the variational method to quantum mechanics—635
Kopal, Zdeněk. Some remarks on the limitations of linearized theory of supersonic flow around cones—474(A)
Korff, S. A. and B. Hamermesh. Production of nucleons by the cosmic radiation—842
Krause, E. H. (see Golian, S. E.)—918(L)
Kremer, Joseph C. (see Beck, Paul A.)—555(L)
Kruger, P. G. (see Laughlin, J. S.)—484(A), 736(L)
Kundu, D. N. and M. L. Pool, d-H^3 reaction in Cb and Ag—140(A)
—— **and M. L. Pool.** Results of H^3 bombardments of Ag and Rh—467(A)
Kuo, Y. H. On the initial motion of a strong spherical shock—476(A)
Kurbatov, J. D. (see Gideon, Donald N.)—140(A)
—— (see Kurbatov, M. H.)—466(A)
—— (see Yu, Fu-Chun)—382(L)
Kurbatov, M. H. and J. D. Kurbatov. Determination of stable species $_{39}Y^{89}$, $_{40}Zr^{90}$, and $_{56}Ba^{134}$ produced by nuclear transmutations—466(A)
Kusaka, Shuichi (see Gross, Eugene)—463(A)
Kyhl, R. (see Strandberg, M. W. P.)—326(L), 639(L)

Ladenburg, Rudolf. Interferometry of faster-than-sound phenomena—464(A)
LaGow, H. (see Best, N.)—915(L)
Lamer, V. K. and David Sinclair. Higher-order Tyndall spectra in monodisperse colloids—462(T)
Lane, C. T. (see Fairbank, Henry)—477(A); 911(L)
——, **Henry A. Fairbank, and William M. Fairbank.** Second sound in liquid helium II—600
——, **William Fairbank, and Henry Fairbank.** Pressure and temperature waves in liquid helium—477(A)
Lang, R. J. Note on the spectrum of Th III—907(L)
Langer, Lawrence M. (see Mitchell, Allan C. G.)—140(A)
——, **C. S. Cook, and M. B. Sampson.** On the alleged gamma-ray of N^{13}—906(L)
Langer, R. M. and J. F. Daly. Scattering of thermal neutrons in polycrystalline materials—464(A)
Langmuir, Irving, V. J. Schaefer, and Bernard Vonnegut. Production of ice crystals in artificial and in natural clouds—462(T)
Langmuir, R. V. (see Pollock, H. C.)—462(T)
—— see Elder, F. R.—829(L)
Lapp, R. E., J. R. Van Horn, and A. J. Dempster—Neutron absorbing isotopes in gadolinium and samarium—745
Lark-Horovitz, K. (see Bray, Ralph)—141(A)
—— (see Johnson, V. A.)—374(L), 483(A), 909(L)
LaRocque, Armand, P. (see Jacobs, Harold)—138(A)
Laslett, L. Jackson. Nomogram to facilitate the determination of the resolving time of counter equipment—144(A)
Laughlin, J. S. and P. G. Kruger. Neutron spectra of Li, Al, and Be bombarded with 10-Mev deuterons—484(A)
—— **and P. Gerald Kruger.** Scattering of neutrons of energy between 12 Mev and 13 Mev by protons—736(L)
Lauritsen, C. C. (see Lauritsen, T.)—275(A)
—— (see Rubin, Sylvan)—212(L)
——, **T. Lauritsen, and W. A. Fowler.** Gamma-radiation from Be^9+H^1—279(A)
Lauritsen, T. (see Lauritsen, C. C.)—279(A)
——, **W. A. Fowler, and C. C. Lauritsen.** Device for introducing short-lived radioactive samples into a cloud chamber—275(A)
Lavatelli, L. S. (see Sutton, R. B.)—272(L)
Lawrence, E. O. (see Brobeck, W. M.)—449
Lawson, A. W. (see Goodman, B.)—191
Lehr, C. G. (see Bitter, F.)—738(L)
Leng, Herta R. (see Benedikt, Elliot T.)—454(L), 480(A)
Levinger, J. and E. Meiners. Radioactivity of Be^{10}—586
Levinstein, H. and H. R. Crane. Structure of evaporated antimony films—476(A)
Liepmann, H. W. On the interaction between boundary layer and shock waves—465(A)
Lin, C. C. Some recent investigations in hydrodynamic stability—471(A)
Lin, S. T. (see Bitter, F.)—738(L)
Linder, E. G. Nuclear electrostatic generator—129(L)
Lindsay, George A. (see Barton, Vola P.)—406, 736(L)
Livens, G. H. Note on magnetic energy—58
Loeb, Leonard B. Mechanism of negative point corona at atmospheric pressure in relation to the first Townsend coefficient—712
Lofgren, Edward J. (see Wilson, Robert R.)—560(L)
Longini, R. L. Note concerning the motion of arc cathode spots in magnetic fields—642(L)
Ludeke, Carl A. Experimental investigation of forced vibrations in a mechanical system having a non-linear restoring force—481(A)
Luebke, E. A. (see Klaiber, G. S.)—649
——, **G. S. Klaiber, and G. C. Baldwin.** Cloud-chamber study of multiple scattering of protons in air—657

Ma, S. T. Equivalence of the Riesz method and the λ-limiting process for the classical electromagnetic field of a point source—787
—— Further remarks on the redundant zeros in Heisenberg's theory of characteristic matrix—210(L)
—— On a general condition of Heisenberg for the S matrix—195
MacDonald, D. K. C., K. Mendelssohn, and A. J. Birch. Conductivity of sodium-ammonia solutions—563(L), Erratum—829(L)
MacKenzie, K. R. (see Brobeck, W. M.)—449
Malmlöw, Goethe and Frederick Seitz. On the theory of dielectric breakdown in the alkali halides—125(L)

Maloof, M. (see Johnson, M. H.)—322(L), 472(A)
—— (see Rado, G. T.)—472(A)
Mann, A. K. (see Ney, E. P.)—835(A)
Marcus, Jules A. deHaas-van Alphen effect in a single crystal of zinc—559(L)
—— Temperature dependence of the diamagnetic susceptibility of gamma-brasses—471(A)
Margenau, Henry (see Hartman, Lawton M.)—481(A)
Mariner, Thomas and Walker Bleakney. Ionization and dissociation of formic acid monomer by electron impact —139(A)
Mark, H. (see Singer, S.)—487(A)
Markham, Jordan J. Infra-red vibrations in NaCl—473(A)
Marshak, R. E. Note on the spherical harmonic method as applied to the Milne problem for a sphere—443
—— Variational method for asymptotic neutron densities —688
—— (see Ashkin, J.)—467(A)
Marshall, L. (see Fermi, E.)—666, 915(L)
Martin, A. B. Energy levels in the nucleus Mn^{56}—127(L), 466(A)
Martin, Emmett. Diffraction of visible radiation by cellulose acetate yarn—488(A)
Marvin, H. H. Mutual magnetic interactions of electrons —102
Masriera, Miguel. On the number of elements—458(L)
Massey, H. S. W. and R. A. Buckingham. Collision of neutrons with deuterons and the reality of exchange forces—558(L), Erratum, 829(L)
May, Albert and Jean C. Woodhull. Drag coefficient of steel spheres entering water—475(A)
Mayer, J. G. Theories of helium II—462(T)
McDaniel, B. D. (see Sutton, R. B.)—272(L)
McGowan, F. K. (see De Benedetti, S.)—380(L)
McMillan, E. M. (see Brobeck, W. M.)—449
McMillan, J. Howard and E. Newton Harvey. Drag and cavity of fast spheres shot into water—475(A)
Meaker, C. L. (see Havens, W. W. Jr.)—165
Meiners, E. (see Levinger, J.)—586
Mendelssohn, K. (see MacDonald, D. K. C.)—563(L), Erratum—829(L)
Merritt, F. R. (see Townes, C. H.)—64(L), 479(A), 644(L), 829(L)
Metzelaar, P. N. and D. E. Allmand. Impact pressure produced by flat plate striking water surface—475(A)
Meyer, H. A., G. Schwachheim, and M. D. de Souza Santos. Decay of K^{40}—908(L)
Meyer, Lothar and William Band. On a connection between the fountain effect, second sound, and thermal conductivity in liquid helium II—828(L)
Meyerhof, Walter E. Contact potential difference in silicon crystal rectifiers—727
Meyerott, Roland. Metastable state $\alpha^1\pi g$ of N_2 as a factor in active nitrogen—133(A)
—— Validity of the Franck-Condon principle in collisions of the second kind—553(L)
—— (see Setlow, R. B.)—133(A)
Miller, V. V. (see Skobeltzyn, D. V.)—315
Millikan, Robert A. Interpretation of the east-west effect —275(A)
Mills, M. M. (see Seifert, H. S.)—279(A)
—— **and R. F. Christy.** Auger showers—275(A)
Mitchell, Allan C. G., Ed. T. Jurney, and Margaret Ramsey. Coincidence experiments on Ga^{72}—324(L)
——, **Lawrence M. Langer, and Leon J. Brown.** Radiations from radioactive lanthanum (140)—140(A)
——, **Ed. T. Jurney, and Margaret Ramsey.** Radiations from As^{72}—825(L)
Mochulsky, M., R. D. Andrews, and A. V. Tobolsky. Relaxation of stress in plastic materials—487(A)
Mohler, Fred L. (see Dibeler, Vernon H.)—381(L)
Mohr, E. I. Positive corona in freon air mixture at n.t.p. —278(A)
Montgomery, C. G. Microwave circuits—133(T)
Morgan, Karl. Educational program in atomic energy for the southeast—831(T)
Morgan, Karl Z. Tolerance concentrations of radio-active substances—835(A)
Morris, Peter A. (see Swann, W. F. G.)—462(A)
Morrison, H. L. and F. T. Rogers, Jr. Preliminary experiment on convection currents in a porous medium—834(A)
—— Statistical significance of some measurements on the permeabilities of unconsolidated sands—837(A)
Moseley, H. M. and Nathan Rosen. Neutron-proton interaction—835(A)
Motta, E. E., G. E. Boyd, and A. R. Brosi. Production and isotopic assignment of a 90-day activity in element 43—210(L)
Motz, H. T. (see Elder, F. K., Jr.)—917(L)
Mrowca, B. A. (see Holroyd, L. V.)—488(A)
—— (see Thompson, W. B.)—486(A)
Muehlhause, C. O. (see Goldhaber, M.)—372(L), 467(A)
Myers, Vernon. Quantum corrections for the second virial coefficient of water—478(A)

Nafe, J. E., E. B. Nelson, and I. I. Rabi. Hyperfine structure of atomic hydrogen and deuterium—914(L)
Nelson, E. B. (see Nafe, J. E.)—914(L)
Newman, Brownie and Nathan Rosen. Problem of homogeneous incompressible fluid sphere in general relativity —833(A)
Ney, Edward P. and Fontaine C. Armistead. Measurement of the self-diffusion coefficient of uranium hexafluoride —138(A), 14
—— **and Fontaine C. Armistead.** Self-diffusion coefficient of uranium hexafluoride—14
—— **and A. K. Mann.** Mass measurement with a single field mass spectrometer—835(A)
Nielsen, Alvin H. Automatically recording grating spectrograph for the infra-red—831(A)
——, **and Y. T. Yao.** Erratum: Analysis of the vibration-rotation band ω_3 for $C^{12}O^{16}_2$ and $C^{13}O^{16}_2$—825(L)
Nielsen, Harald H. (see Noble, Robert H.)—484(A)
—— (see Yates, Kenneth P.)—349
Nier, A. O. (see Aldrich, L. T.)—143(A)
—— (see Fairbank, Henry A.)—911(L)
Nierenberg, W. A., N. F. Ramsey, and S. B. Brody. Measurements of nuclear quadrupole interactions—466(A)

Noble, Robert H. and Harald H. Nielsen. Infra-red absorption spectrum of H_2S—484(A)
Novick, A. (see Anderson, H. L.)—372(L)
Nuckolls, Richard G., Carl L. Bailey, William E. Bennett, Thor Bergstrahl, Hugh T. Richards, and John H. Williams. Total scattering cross sections of deuterium and oxygen for fast neutrons—140(A)

Oberly, J. J. (see Durand, E.)—827(L)
O'Bryan, H. M. Perot-Fabry interferometers as filters—134(A)
Ogg, A., Jr. (see Sienko, M. J.)—319(L)
Ogle, Wm., Leon Brown, and Richard Conklin. Evidence for a γ–p reaction in Be^9—378(L)
Oldenberg, O. (see Holt, R. B.)—479(A)
Oppenheimer, J. R. Creation and destruction of mesons—462(T)
Ore, Aadne. Structure of the quadrielectron—913(L)
—— (see Hylleraas, Egil A.)—468(A), 493
Osborne, R. K. and M. Deutsch. Disintegration scheme of the 21-minute isomer of Mn^{52}—467(A)

Packard, M. (see Bloch, F. A.)—373(L), 551(L)
Pancini, E. (see Conversi, M.)—209(L), 557(L)
Parker, George W. (see Inghram, Mark G.)—743(L)
Pearson, G. L. and W. Shockley. Measurements of Hall effect and resistivity of germanium and silicon from 10° to 600°K—142(A)
Peaslee, D. C. (see Feshbach, H.)—145, 564(L)
Peck, R. A., Jr. Photographic neutron detection—464(A)
Pekeris, C. L. Note on the scattering of radiation in an inhomogeneous medium—268(L); Erratum—457(L)
Pellam, J. R. and C. F. Squire. Ultrasonic absorption and velocity measurements in liquid helium—477(A)
Pepkowitz, L. P. (see Bonner, N. A.)—511
Perlman, I. (see Howland, J. J.)—552(L)
Perlman, M. L. (see Bonner, N. A.)—511
Perlow, G. J. and J. D. Shipman, Jr. Non-primary cosmic-ray electrons above the earth's atmosphere—325(L)
Perusquía, M. L. (see Baños, Alfredo, Jr.)—276(A)
—— (see Vallarta, M. S.)—393
Piccioni, O. (see Conversi, M.)—209(L), 557(L)
Pierce, J. A. Ionization by meteoric bombardment—88
—— True height of an ionospheric layer—698
Pockman, L. T., D. L. Webster, P. Kirkpatrick, and K. Harworth. Probability of K-ionization of nickel by electrons—330, 470(A)
Pollard, E. C. and B. B. Benson. Large angle scattering of gamma-radiation—134(A)
Pollard, Ernest. Yields of protons in transmutations—467(A)
Pollard, W. G. Report on the Oak Ridge Institute of Nuclear Studies—831(T)
Pollock, H. C., R. V. Langmuir, and F. R. Elder. Operation of a 70-Mev synchroton—462(T)
Pool, M. L. (see Goodman, Leon J.)—288
—— (see Elder, F. R.)—829(L)
—— (see Kundu, D. N.)—140(A), 467(A)
—— (see Schwarz, W. M.)—122(L)
Poss, H. L. (see Bitter, F.)—738(L)
Pound, R. V. (see Bloembergen, N.)—466(A)
Powell, J. L. (see Bender, R. S.)—905(L)
Present, R. D. On the division of nuclear charge in fission—831(T)
Preston, Melvin A. Theory of alpha-radioactivity—865
Preston, W. M. (see Bernstein, S.)—140(A), 463(A), 573
Prizibram, K. Remarks on C. Frondel's letter: "Elastic deficiency and color of natural smoky quartz"—319(L)
Purbrick, R. L. An experimental relation between ω_e and reduced mass for diatomic molecules—137(A)
Purcell, E. M. (see Bloembergen, N.)—466(A)

Rabi, I. I. (see Nafe, J. E.)—914(L)
Rado, G. T. (see Johnson, M. H.)—322(L), 472(A)
——, **M. H. Johnson, and M. Maloof.** Complex permeability of magnetic iron at 200 Mc as a function of polarizing field—472(A)
Rainwater, L. J. (see Havens, W. W., Jr.)—165
—— (see Wu, C. S.)—174
——, **W. W. Havens, Jr., C. S. Wu, and J. R. Dunning.** Slow neutron velocity spectrometer studies I. Cd, Ag, Sb, Ir, Mn—65
Rall, Waldo and Roger G. Wilkinson. Gamma- and beta-ray energies of some radioactive isotopes as measured by a thin magnetic lens beta-ray spectrometer—321(L)
Ramsay, B. P. and F. L. Yost. Magnetic facilities provided by the Kensington Magnetic Laboratory—834(A)
Ramsey, Margaret (see Mitchell, Allan C. G.)—324(L), 825(L)
Ramsey, N. F. (see Nierenberg, W. A.)—466(A)
Randall, J. A. (see Estermann, I.)—484(A)
Raub, H. L. (see Sack, H. S.)—486(A)
Reinhardt, Paul W. Portable instrument for the detection of fast neutrons in the presence of gamma radiation—836(A)
Rense, Wm. A. Diffuse reflection from dielectrics—832(A)
Resnick, Irving (see Weissler, Alfred)—488(A)
Richards, H. T. (see Bennett, W. E.)—11, 565
—— (see Nuckolls, Richard G.)—140(A)
—— **and Lyda Speck.** Range distribution of U^{235} fission fragments in photographic emulsion—141(A)
Richardson, J. Reginald (see Wilson, Robert R.)—560(L)
Richman, C. (see Bohm, D.)—567
Rigterink, M. D. (see Teal, G. K.)—462(T)
Rivlin, R. S. Torsion of a rubber cylinder—487(A)
Roberts, Arthur (see Arnold, Wayne R.)—878
Roberts, Shepard. Dielectric and piezoelectric properties of barium titanate—890
Rogers, F. T., Jr. Effect of scattering on experimental determinations of XR for high-energy particles—833(A)
—— On the reduction of data which are values of a definite integral—837(A)
—— Rational design of the computor for a certain class of mechanical system containing feedback-control—836(A)
—— (see Crawford, G. W.)—833(A)
—— (see Dubs, Charles)—834(A)
—— (see Morrison, H. L.)—834(A); —837(A)
—— **and Marguerite M. Rogers.** Differential equation for the over-all behavior of a servo-operated recording potentiometer—836(A)

Rogers, Marguerite M. Redetermination of the nuclear magnetic moment of sodium by the polarization of resonance radiation—833(A)
—— (see Rogers, F. T., Jr.)—836(A)
Rojansky, V. Auger showers and the comets—552(L)
Romberg, Werner. Calculation of the coordinate matrix elements for helium—706
Rosen, Nathan. Notes on rotation of rigid bodies in relativity theory—54
—— Quantum mechanics of vibrating string—833(A)
—— (see Eisner, Melvin)—835(A)
—— (see Moseley, H. M.)—835(A)
—— (see Newman, Brownie)—833(A)
Rossi, Bruno (see Bridge, Herbert)—379(L)
Rousset, A. (see Kastler, A.)—455(L)
Rubin, S. (see Christy, R. F.)—275(A)
Rubin, Sylvan. Angular distribution of long-range alpha-particles from excited Ne^{20}—275(A)
——, **W. A. Fowler, and C. C. Lauritsen.** Angular distribution of the $Li^7(p,\alpha)\alpha$ reaction—212(L)
Russell, B. (see Fields, R.)—508
Russell, B. R. (see Wahlin, H. B.)—139(A)

Sachs, D. (see Fields, R.)—508
Sachs, R. G. On the magnetic moment of the triton—457(L)
—— (see Fermi, E.)—589
Sack, H. S. and H. L. Raub. Elastic losses of natural and synthetic rubber as a function of frequency and temperature—486(A)
Sampson, M. B. (see Langer, L. M.)—906(L)
Scalettar, R. (see Feld, Bernard T.)—464(A)
Schaefer, V. J. (see Langmuir, Irving)—462(T)
Scherrer, P. (see Bradt, H. L.)—141(A)
Schiff, L. I. (see Goodman, B.)—191
Schiffer, M. (see Frei, H.)—555(L)
Schmidt, J. M. Atomization of liquids—278(A)
Schockley, W. (see Pearson, G. L.)—142(A)
Schubauer, G. B. (see Skramstad, H. K.)—475(A)
Schultz, H. L. The determination of small time intervals between related nuclear events—134(A)
Schwachheim, G. (see Meyer, H. A.)—908(L)
Schwarz, W. M. and M. L. Pool. Gamma-rays from tungsten and molybdenum—122(L)
Schwinger, Julian (see Hamermesh, Morton)—678
Seaborg, G. T., J. W. Gofman, and R. W. Stoughton. Nuclear properties of U^{233}: A new fissionable isotope of uranium—378(L)
Seaton, S. L. Temperature of the upper atmosphere—557(L)
Segrè, E. Possibility of altering the decay rate of a radioactive substance—274(A)
—— (see Chamberlain, O.)—529
—— (see Farwell, G.)—327
Seifert, H. S. and M. M. Mills. Problems in the application of nuclear energy to rocket propulsion—279(A)
Seitz, Fredrick. Some aspects of the theory of neutron diffraction by crystals—831(T)
—— (see Goldberger, M. L.)—294
—— (see Malmlöw, Goethe)—125(L)
—— Training school program at Clinton Laboratories—831(T)
Serber, R. (see Brobeck, W. M.)—449
Seren, Leo, Don Engelkemeir, William Sturm, H. N. Friedlander, and S. Turkel. Forty-three day $_{48}Cd^{115}$—409
——, **Herbert N. Friedlander, and Solomon Turkel.** Reaction $_{38}Sr^{86}(n,\gamma)_{38}Sr^{87}$ produced by thermal neutrons—454(L)
——, **Herbert N. Friedlander, and Solomon H. Turkel.** Thermal neutron activation cross sections—463(A)
Setlow, R. B., Roland Meyerott, and W. W. Watson. Ultraviolet bands of nitrogen—133(A)
Sewell, D. C. (see Brobeck, W. M.)—449
Shankland, Robert S. (see Wilson, Robert R.)—560(L)
Shaw, A. E. Intense positive ion source for solids—277(A)
Shearin, Paul E. Mechanism for ductile failure in a notched steel bar—832(A)
Sherwin, Chalmers W. Delays in firing time of Geiger-Müller counters—479(A)
Shipman, J. D., Jr. (see Perlow, G. J.)—325(L)
Shoemaker, F. C. (see Bender R. S.)—905(L)
Shull, Franklin B. (see Cork, James M.)—467(A)
—— **and David M. Dennison.** Double focusing beta-ray spectrometer—681
Siegbahn, Kai and Martin Deutsch. Decay scheme of Cs^{134}—483(A)
Siegert, A. J. F. Note on the recurrence time problem for the two-dimensional Markoffian random function—469(A)
—— On the first passage time problem for the stationary Markoffian random function—485(A)
Sienko, M. J. and R. A. Ogg, Jr. Magnetic quenching of superconductivity—319(L)
Sigurgeirsson, T. (see Bøggild, J. K.)—281
—— **and A. Yamakawa.** Decay of mesons stopped in light materials—319(L)
Simmons, James W. (see Gordy, Walter)—917(L)
Simpson, K. M. (see Brobeck, W. M.)—449
Simpson, O. C. (see Estermann, I.)—238
Sinclair, David (see Lamer, V. K.)—462(T)
Singer, S. and H. Mark. Studies of cellulose acetate with the ultracentrifuge—487(A)
Singer, Willard E. Infra-red absorption in formaldehyde beyond 10μ—531
Skobeltzyn, D. V., G. T. Zatsepin, and V. V. Miller. Lateral extension of Auger showers—315
Skramstad, H. K. and G. B. Schubauer. Laminar boundary-layer oscillations and stability of laminar flow—475(A)
Slattery, R. E. (see Bernstein, S.)—140(A), 463(A), 573
Smith, A. E. Determination of particle size by the low angle scattering of x-rays—277(A)
Smith, A. G. (see Gordy, Walter)—917(L)
Smith, Charles G. Free ring discharge in a metallic torus—135(A)
Smith, H. D., T. McC. Dauphinee, and D. G. Ivey. Heat conductivity of natural and synthetic rubbers under stretch and at low temperatures—487(A)
Smith, J. H. Theoretical range-energy values for protons in air and aluminum—32

Smith, W. V. Determination of nuclear spin from the Stark effect of microwave rotational spectra—126(L)
Snow, George (see Gross, Eugene)—463(A)
Snyder, H. S. Quantized space-time—38
——. Theory of multiple scattering—478(A)
—— (see Goudsmit, S. A.)—478(A)
de Souza Santos, M. C. (see Meyer, H. A.)—908(L)
Speck, Lyda (see Richards, H. T.)—141(A)
Spence, R. W. (see Bloch, F.)—373(L), 551(L)
Spencer, L. van Clief (see Brentano, J. C. M.)—142(A)
Spencer, Roy C. Optical theory of the corner reflector—134(A)
Sperduto, A. (see Buechner, W. W.)—142(A), 470(A)
Squire, C. F. (see Pellam, J. R.)—477(A)
Stabler, H. P. Reversible binary counter and shaft position indicator—135(A)
Stephenson, S. T. X-ray absorption structure of $GeCl_4$ and $AsCl_3$—84
Stern, O. (see Estermann, I.)—238, 250
Stevenson, D. P. Recent progress in applied mass spectrometry—274(T)
Stewart, D. W. Separation of stable tracer isotopes—744(T)
Stoughton, R. W. (see Seaborg, G. T.)—378(L)
Stout, J. W. Magnetic quenching of superconductivity—741(L)
—— **and W. M. Jones.** Calorimetric determination of the energy produced by plutonium(239)—582
Straley, Joseph W. (see Eisner, Melvin)—832(A)
Strandberg, M. W. P., R. Kyhl, T. Wentink, Jr., and R. E. Hillger. Inversion spectrum of ammonia—326(L), 639(L)
Stuhlman, Otto, Jr. Limits of visibility and the maximum brightness of continuous spectra at various color temperatures—834(A)
Sturm, William J. Measurement of neutron cross sections with a crystal spectrometer—757
—— (see Fermi, E.)—589
—— (see Seren, Leo)—409
——, **and George P. Arnold.** Total neutron cross section of dysprosium and neodymium—556(L)
Summerfield, Martin. Escape from the earth by multiple-step rockets—279(A)
Suryan, B. Bounded linear harmonic oscillator and phase transitions of second order—741(L)
Suryanarayan, D. (see Bhagavantum, S.)—553(L)
Sutton, R. B., B. D. McDaniel, E. E. Anderson, and L. S. Lavatelli. Capture cross section of boron for neutrons of energies from 0.01 ev to 1000 ev—272(L)
Swann, W. F. G. Possible effect of the sun upon cosmic radiation—485(A)
—— **and Peter A. Morris.** Variation with altitude and latitude of the vertical component of the cosmic radiation passing through 15 cm of lead—462(A)
Szilard, L. (see Feld, Bernard T.)—464(A)

Taft, E. (see Apker, L.)—473(A)
Tangen, R. (see Broström, K. J.)—661
Tatel, H. E. and J. M. Cork. Formation of radium E and polonium by deuteron bombardment of bismuth—159
Taub, A. H. Refraction of shocks in ideal gases—465(A)
Teal, Gordon K. Photoelectron emission from liquid ammonia solutions of the alkali metals—138(A)
——, **M. D. Rigterink and C. J. Frosch.** Attenuator materials, attenuators, and terminators for microwaves—462(T)
Teller, E. (see Fermi, E.)—314
Temple, G. F. J. (see Von Neumann, John)—462(T)
Templeton, D. H. (see Howland, J. J.)—552(L)
Thomas, R. N. Comments on the motion of a solid body at high velocity through a compressible medium—474(A)
Thompson, W. B., B. A. Mrowca, and Eugene Guth. Velocity and attenuation of sound in rubber—486(A)
Thorndike, A. M. (see Wilson, E. Bright, Jr.)—479(A)
Thornton, R. L. (see Brobeck, W. M.)—449
Ticho, Harold K. New determination of the mean life of mesotrons at an altitude of 11,500 feet—463(A)
Tisza, L. On the theory of "second sound" in helium II—477(A)
Tobolsky, A. V. (see Mochulsky, M.)—487(A)
Tousey, R. (see Durand, E.)—827(L)
Townes, C. H. Electrostatic field strengths in molecules and nuclear quadrupole moments—909(L)
——. Molecular line spectra in the microwave region—133(T)
——, **A. N. Holden, J. Bardeen, and F. R. Merritt.** Quadrupole moments and spins of Br, Cl, and N nuclei—644(L), Erratum: 829(L)
——, **A. N. Holden, and F. R. Merritt.** Rotational spectra of some linear molecules near 1-cm wave-length—64(L)
——, **A. N. Holden, and F. R. Merritt.** Rotational spectra of some linear molecules near 1-cm wave-length and nuclear quadrupole moments of Br and Cl—479(A)
Trabacchi, G. C. (see Ageno, M.)—20
Tsien, San-Tsiang, Ho Zah-Wei, R. Chastel, and L. Vigneron. On the new fission process of uranium nuclei—382(L)
Tukey, J. W. Linearization of solutions in supersonic flow—471(T)
Turkel, S. H. (see Goldhaber, M.)—372(L), 467(A)
—— (see Seren, Leo)—409, 454(L), 463(A)
Turkevich, John (see Hershberger, W. D.)—554(L)
Turner, Alfrey, Jr. Time-dependent strain birefringence in visco-elastic materials—486(A)

Underwood, N. and A. H. Doermann. Photoelectric nephelometer—834(A)

Valatin, J. G. On molecular coupling effects—458(L)
Vallarta, M. S., M. L. Perusquía, and J. de Oyarzábal. Determination of the sign and the energy spectrum of primary cosmic radiation—393
Van de Graaff, R. J. (see Buechner, W. W.)—142(A), 470(A)
Van Horn, J. R. (see Lapp, R. E.)—745
Van Vleck, J. H. Absorption of microwaves by uncondensed water vapor—425
—— Absorption of microwaves by oxygen—413
—— Formula for the coupling of nuclear quadrupole moments in symmetrical polyatomic molecules—468(A)

Van Voorhis, S. N. Nuclear physics and machines—744(T)
Varela, Arthur A. Effect of direct-current potential on initiation of radiofrequency discharge—124(L)
Vazsonyi, A. New derivation of the method of characteristics for axially symmetrical supersonic flow—278(A)
Verde, M. and G. C. Wick. Some stationary distributions of neutrons in an infinite medium— 852
Vigneron, L. (see Tsien, San-Tsiang)—382(L)
Von der Lage, Fred C. and H. A. Bethe. Method for obtaining electronic eigenfunctions and eigenvalues in solids with an application to sodium—612
Vonnegut, Bernard (see Langmuir, Irving)—462(T)
Von Neumann, John, G. F. J. Temple, and Theodore von Karman. Recent developments in compressible flow—462(T)
Vought, R. H. Molecular dissociation by electron bombardment: a study of $SiCl_4$—93

Wack, Paul E. Electrical resistivity of conducting rubber —489(A)
Wahl, A. C. (see Chamberlain, O.)—529
Wahlin, H. B. and B. R. Russell. Biological effects of low frequency vibrations—139(A)
Walker, R. L. (see Graves, A. C.)—1
Wallace, P. R. Band theory of graphite—476(A), 622
Waltner, Arthur. Measurement of the ionization potential of gases in photoelectric cells—834(A)
Wang, K. C. Proposed methods of detecting the neutrino —645(L)
Wantuch, Ernest. Velocity of propagation of the discharges in Geiger-Müller counters—646(L)
Wataghin, Gleb. Showers of penetrating particles at altitude of 26,000 feet—453(L)
Watson, W. H. (see Davison, B.)—742(L)
Watson, W. W. (see Setlow, R. B.)—133(A)
——, **J. O. Buchanan, and F. K. Elder, Jr.** Thermal diffusion with boron trifluoride—887
Watt, B. E. (see Bennett, W. E.)—11
Wattenberg, A. Photo-neutron sources and the energy of the photoneutrons—497
—— (see Fields, R.)—508
Watts, Richard J. and Dudley Williams. Nuclear quadrupole moment effects in the microwave spectrum of ammonia—639(L)
Wayland, Harold. Scale factors in water entry—470(A)
Webb, H. W. (see Hansen, J. M.)—483(A)
Webb, J. H. Photographic plates for use in nuclear physics —744(T)
Webber, D. S. (see Barnett, S. J.)—143(A), 895
Webber, Robert T. Magnetic transition curves in superconducting tantalum—471(A)
Webster, David L. (see Pockman, Leonard T.)—330, 470(A)
Weisskopf, V. (see Fermi, E.)—314
—— (see Feshbach, H.)—145, 564(L)
Weissler, Alfred, J. W. Fitzgerald, and Irving Resnick. Sound velocity method for determination of molecular weight of liquid polymers—488(A)
Weissler, G. L. Negative corona in freon-air mixtures at n.t.p.—278(A)
Wentink, T., Jr. (see Strandberg, M. W. P.)—326(L), 639(L)
Westendorf, W. F. Biased betatron in operation—271(L)
Westphal, W. B. (see von Hippel, A.)—488(A)
Wheeler, John A. Mechanism of absorption of negative mesons—462(A)
—— Mechanism of capture of slow mesons—320(L)
Whiffen, D. H. Absorption of microwaves by liquids—133(T)
Whipple, Fred L. Supersonic problems in astronomy—474(A)
White, H. E. (see Anderson, O. E.)—911(L)
White, J. R. and A. E. Cameron. Critical ionization potentials of uranium hexafluoride and hydrogen fluoride—907(L)
Wick, G. C. (see Verde, M.)—852
Wideröe, Rolf. On bringing the beam out of a betatron—376(L)
Wiegand, C. (see Farwell, G.)—327
Wightman, A. S. Pais' *f*-field theory and the mirror nuclei —447
Wilcox, Howard (see Allison, Samuel K.)—139(A)
Wilkinson, Roger G. (see Rall, Waldo)—321(L)
Williams, Dudley (see Watts, Richard J.)—639(L)
Williams, Ferd E. Mechanism of luminescence of infra-red-sensitive phosphors—831(A)
Williams, John H. Collision of neutrons with deuterons and the reality of exchange forces—908(L)
—— (see Nuckolls, Richard G.)—140(A)
Williams, H. J. Direction of domain magnetization in powder patterns—646(L)
Williams, W. E. Interferometry—274(T)
Wilson, E. Bright, Jr. (see Hughes, Richard H.)—562(L)
—— **and A. M. Thorndike.** Absolute intensities of molecular vibrational absorption bands—479(A)
Wilson, Robert R. Delayed neutrons from Pu^{239}—560(L)
—— Proton-proton scattering at 10 Mev—384(L)
—— Range, straggling, and multiple scattering of fast protons—385(L)
—— **and Edward C. Creutz.** Proton-proton scattering at 8 Mev—339
——, **Edward J. Lofgren, J. Reginald Richardson, Byron T. Wright, and Robert S. Shankland.** Proton-proton scattering at 14.5 Mev—560(L)
Winans, J. G. Classical model for the nucleus—379(L)
—— **and H. M. Foslie.** Rotational structure of InCl bands at 2670A—137(A)
Wintner, Aurel. On the momentum operator in wave mechanics—547
—— Unboundedness of quantum-mechanical matrices—738(L)
Wise, C. Edward, Jr. (see Dibeler, Vernon H.)—381(L)
Witmer, Enos E. Analysis of molecular spectra and the calculation of thermodynamic quantities—137(A)
—— Integral and rational numbers in the nuclear domain and their significance—126(L)
Wolfe, G. (see Bernstein, S.)—140(A), 463(A), 573
Wood, George W. Positive grid characteristics of a triode —832(A)

Wood, R. W. Interaction of shock-waves, the spectra of cavity charge explosions, and the production of artifical meteors—471(A)
Woodhull, Jean C. (see May, Albert)—475(A)
Woodland, P. C. (see Boyer, R. F.)—488(A)
Wooldridge, D. E., A. J. Ahearn, and J. A. Burton. Conductivity pulses induced in diamond by alpha-particles—913(L)
Wright, Byron T. Recoil of silver nuclei due to *K*-capture in cadmium—839
—— (see Wilson, Robert R.)—560(L)
Wu, C. K. and S. C. Chao. Relation between the force constant and the interatomic distance of a diatomic linkage. II. A modified Huggins relation—118
Wu, C. S. (see Havens, W. W., Jr.)—165
—— (see Rainwater, L. J.)—65
——, **L. J. Rainwater, and W. W. Havens, Jr.** Slow neutron velocity spectrometer studies, III. I, Os, Co, Tl, Cb, Ge—174
Wu, Ta-You. Excitation of molecular vibrations by electrons—111

Yagoda, Herman and Nathan Kaplan. Fading of latent alpha-ray image in emulsions—910(L)
Yamakawa, A. (see Sigurgeirsson, T.)—319(L)
Yao, Y. T. (see Nielsen, Alvin H.)—825(L)
Yates, Kenneth P. and Harald H. Nielsen. Infra-red spectrum of methyl fluoride—349
Yost, F. L. (see Ramsay, B. P.)—834(A)
Young, James L., III. (see Beams, J. W.)—131(L),835(A)
Yu, Fu-Chun, Donald Gideon, and J. D. Kurbatov. Disintegration by consecutive orbital electron captures $_{56}Ba^{131} \rightarrow {}_{55}Cs^{131} \rightarrow {}_{54}Xe^{131}$—382(L)

Zachariasen, W. H. Direct determination of stacking disorder in layer structures—715
Zartman, I. F. Precision ultrasonic interferometer—479(A)
Zatsepin, G. T. (see Skobeltzyn, D. V.)—315
Zener, Clarence. A defense of the Cauchy relations—323(L)
—— Contributions to the theory of beta-phase alloys—846
—— Stress induced preferential orientation of pairs of solute atoms in metallic solid solution—34
Zilsel, P. R. (see Breit, G.)—232
Zimm, B. H. (see Doty, P. M.)—485(A)
Zinn, W. H. Diffraction of neutrons by a single crystal—752

Analytic Subject Index to Volume 71

References with (A) are to abstracts of papers presented at meetings of the American Physical Society. References with (L) are to Letters to the Editor.

Absorption of neutrons
Absorbing isotopes in Gd and Sm, R. E. Lapp, J. R. Van Horn, and A. J. Dempster—745
Capture cross section of boron for neutrons of energies from 0.01 ev to 1000 ev, B. R. B. Sutton, B. D. McDaniel, E. E. Anderson, and L. S. Lavatelli—272(L)
Cross sections with a crystal spectrometer, William J. Sturm—757
By iodine, Seymour Katcoff—826(L)
Absorption of radiation
Nuclear magnetic resonance, N. Bloembergen, R. V. Pound, and E. M. Purcell—466(A)
Acoustics
Absorption of sound as relaxation phenomena, Carl Eckart—277(A)
Pressure and temperature waves in He, C. T. Lane, William Fairbank, and Henry Fairbank—477(A)
Scattering in an inhomogeneous medium, C. L. Pekeris—268(L), Erratum—457(L)
Second sound in liquid helium II, C. T. Lane, Henry A. Fairbank and William M. Fairbank—600
Second sound in He II, Lothar Meyer and William Band—828(L)
Separation by ultrasonic waves, H. Frei and M. Schiffer—555(L)
Temperature dependence of "second sound" velocity in He, Henry Fairbank, William Fairbank, and C. T. Lane—477(A)
Theory of "second sound" in helium, L. Tisza—477(A)
Ultrasonic absorption and velocity measurements in He, J. R. Pellam, and C. F. Squire—477(A)
Ultrasonic absorption in water, Leonard Hall—318(L)
Velocity and attenuation of sound in rubber, W. B. Thompson, B. A. Mrowca, and Eugene Guth—486(A)
Aerodynamics (see also **Hydrodynamics**)
Variation of lift at transonic speed, W. F. Hilton—465(A)
Astrophysics
Erratum: Expanding universe and the origin of elements, G. Gamow—273(L)
Irreversible processes in stellar dynamics, Herbert Jehle—469(A)
Motion at high velocity through compressible medium, R. N. Thomas—474(A)
Production of artificial meteors, R. W. Wood—471(A)
Solar curve of growth, Winston M. Gottschalk—133(A)
Supersonic problems in astronomy, Fred L. Whipple—474(A)
Atmosphere (see also **Meteorology**)
Ionization by meteoric bombardment, J. A. Pierce—88
Pressure and temperature of the atmosphere to 120 km, N. Best, R. Havens, and H. LaGow—915(L)
Temperature of upper atmosphere, S. L. Seaton—557(L)
Atomic and molecular beams
Free paths of Cs atoms in He, N, and Cs vapor, I. Estermann, S. N. Foner, and O. Stern—250
Velocity distribution in a beam of Cs atoms, I. Estermann, O. C. Simpson, and O. Stern—238
Atomic structure (see also **Spectra, atomic**)
Hydrogen atom and generalized classical electrodynamics, C. Jayaratnam Eliezer—49
Magnetic interactions of electrons, H. H. Marvin—102
Of the quadrielectron, Aadne Ore—913(L)

Biophysics
Arterial pulse wave velocities, Allen L. King—482(A)
Biological effects of low frequency vibrations, H. B. Wahlin and B. R. Russell—139(A)
Neutron monitoring, J. S. Cheka—836(A)
Photoelectric nephelometer, N. Underwood and A. H. Doermann—834(A)
Tolerance concentrations of radioactive substances, Karl Z. Morgan—835(A)
Visibility at various color temperatures, Otto Stuhlman, Jr.—834(A)

Collisions of second kind
Validity of Franck-Condon principle, Roland E. Meyerott—553(L)
Contact potentials
Silicon rectifiers, Walter E. Meyerhof—727
Cosmic radiation
Auger showers, M. M. Mills and R. F. Christy—275(A)
Auger showers and comets, V. Rojansky—552(L)
Azimuthal variation, Alfredo Baños, Jr. and M. L. Perusquía—276(A), Piara Singh Gill—398, 462(A)
Bursts in unshielded chamber, Herbert Bridge and Bruno Rossi—379(L)
Disintegration of negative mesons, M. Conversi, E. Pancini, and O. Piccioni—209(L)
East-west effect, Robert A. Millikan—275(A)
Effect of sun, W. F. G. Swann—485(A)
Electrons above the earth's atmosphere, G. J. Perlow and J. D. Shipman, Jr.—325(L)
Focusing telescope, W. T. Harris—135(A), 310
Further cosmic-ray experiments above the atmosphere, S. E. Golian and E. H. Krause—918(L)
Lateral extension of Auger showers, D. V. Skobeltzyn, G. T. Zatsepin, and V. V. Miller—315
Mass of mesotron, Donald J. Hughes—387
Mean life of mesotrons at 11,500 feet, Harold K. Ticho—463(A)
Meson showers under lead, William B. Fretter—462(A)
Production of mesotrons at 30,000 feet, P. S. Gill—82
Production of nucleons, S. A. Korff and B. Hamermesh—842

Cosmic Radiation (continued)
Production of stars, Eugene Gross, Shuichi Kusaka, and George Snow—463(A)
Showers of penetrating particles at 26,000 feet, Gleb Wataghin—453(L)
Sign and energy spectrum of primary radiation, M. S. Vallarta, M. L. Perusquía, and J. de Oyarzábal—393
Variation of vertical component, W. F. G. Swann and Peter A. Morris—462(A)
Cross section, measurements, theory
Of B for neutrons from 0.01 ev to 1000 ev, R. B. Sutton, B. D. McDaniel, E. E. Anderson, and L. S. Lavatelli —272(L)
Of deuterium and oxygen for fast neutrons, Richard G. Nuckolls, Carl L. Bailey, William E. Bennett, Thor Bergstrahl, Hugh T. Richards, and John H. Williams —140(A)
Of Au, In, Ta, W, Pt, Zr for neutrons, W. W. Havens, Jr., C. S. Wu, L. J. Rainwater, and C. L. Meaker—165
Of I, Os, Co, Tl, Cb, Ge for neutrons, C. S. Wu, L. J. Rainwater, and W. W. Havens, Jr.—174
Neutron cross section—Cd, Ag, Sb, Ir, Mn, L. J. Rainwater, W. W. Havens, Jr., C. S. Wu, and J. R. Dunning—65
Neutron cross section for Hg isotopes, Mark G. Inghram, David C. Hess, Jr., and Richard J. Hayden—561(L)
Neutron-proton scattering, theory, D. Bohm and C. Richman—567
Total neutron cross section of Dy and Nd, William J. Sturm and George P. Arnold—556(L)
Transmission through microcrystalline materials, E. Fermi, W. J. Sturm, and R. G. Sachs—589
Of twenty-three elements for photo-neutrons, R. Fields, B. Russell, D. Sachs, and A. Wattenberg—508
Crystal structure
Lattice spacing of AgBr, J. C. M. Brentano and L. van Clief Spencer—142(A)
Stacking disorder in layer structures, W. H. Zachariasen —715
Crystalline state
Band theory of graphite, P. R. Wallace—476(A), 622
Barium silicate interface of oxide coated cathodes, A. Eisenstein—473(A)
Beta-phase alloys, Clarence Zener—846
Color of natural smoky quartz, K. Prizibram—319(L)
deHaas-van Alphen effect in zinc, Jules A. Marcus—559(L)
Diamagnetic susceptibility of gamma-brasses, Jules A. Marcus—471(A)
Dielectric breakdown in the alkali halides, Goethe Malmlöw and Frederick Seitz—125(L)
Effect of x-rays on elastic constants of quartz, Virgil E. Bottom—476(A)
Grain boundaries in metals, T'ing-Sui Kê—142(A)
Grain growth in aluminum, Paul A. Beck, Joseph C. Kremer, and L. Demer—555(L)
Hall effect and magnetoresistance in Ge, W. Crawford Dunlap, Jr.—471(A)
High energy ions in lattices, A. H. W. Aten, Jr.—641(L)
Infra-red vibrations in NaCl, Jordan J. Markham—473(A)
Material of high magnetic permeability, O. L. Boothby and R. M. Bozorth—472(A)
Orientation of atoms in metallic solid solution, Clarence Zener—34
Oscillator concept, theory of solids, E. M. Corson and I. Kaplan—130(L)
Radiation on Si crystals; effects of, F. C. Brown—472(A)
Recrystallization of quartz, D. D'Eustachio—476(A)
Rectification at a metal semi-conductor contact, John Bardeen—717
Stress induced preferential orientation of atoms in metallic solid solution, Clarence Zener—34
Structure of evaporated Sb films, H. Levinstein and H. R. Crane—476(A)
Ultrasonic measurements on single crystals, H. B. Huntington—472(A)
Viscous behavior of grain boundaries, T'ing-Sui Kê—533
Dielectrics and dielectric properties
Of barium titanate, Shephard Roberts—890
Breakdown in the alkali halides, Goethe Malmlöw and Frederick Seitz—125(L)
Properties of butadiene-containing polymers and co-polymers, R. F. Boyer, E. B. Baker, and P. C. Woodland—488(A)
Of rubber, L. V. Holroyd, B. A. Mrowca, and Eugene Guth—488(A)
Diffraction of atoms and neutrons
Theory of refraction and diffraction of neutrons, M. L. Goldberger and Frederick Seitz—294
Diffraction of radiation
Pattern of a circular aperture, C. L. Andrews—777
Diffusion
Of BF_3 gas, thermal, W. W. Watson, J. O. Buchanan, and F. K. Elder, Jr.—887
By fields of ultrasonic waves, H. Frei and M. Schiffer—555(L)
Self-diffusion of UF_6, Edward P. Ney and Fontaine C. Armistead—14, 138(A)
Discharge of electricity in gases
Constant field and initiation of radiofrequency discharge, Arthur A. Varela—124(L)
Corona from positive points, W. N. English—638(L)
Electron attachment and ambipolar diffusion, Manfred A. Biondi and Sanborn C. Brown—481(A)
Harmonic components in a.c. discharges, Lawton M. Hartman and Henry Margenau—481(A)
High frequency electron distribution, Lawton M. Hartman—469(A)
Ionization currents in cylindrical systems, G. W. Johnson—278(A)
Mechanism of negative point corona, Leonard B. Loeb —712
Microwave studies of dielectric properties of arcs, Donald E. Kerr, Sanborn C. Brown, and Walter P. Kern—480(A)
Motion of cathode spots in fields, R. L. Longini—642 (L)
Negative corona in freon air, G. L. Weissler—278(A)
Positive corona in freon air, E. I. Mohr—278(A)

Propagation of discharges in counters, Ernest Wantuch—646(L)
Retrograde motion of arc cathode spot, C. J. Gallagher and J. D. Cobine—481(A)
Ring discharge in metallic torus, Charles G. Smith—135(A)
Sparking potentials of Ba, Mg, and Al in A, Harold Jacobs and Armand P. LaRocque—138(A)
Discharge of electricity in high vacuum (see **High voltage tubes and machines**)
Disintegration and excitation of nucleus (see also **Radioactivity**)
Alpha-particles from excited Ne^{20}, angular distribution, Sylvan Rubin—275(A)
Angular distributions in resonance reactions, calculation, G. Breit and B. T. Darling—402
Angular distribution of α-particles from $Li^7(p,\alpha)\alpha$, Sylvan Rubin, W. A. Fowler, and C. C. Lauritsen—212(L), R. F. Christy and S. Rubin—275(A)
Of As^{72}, Allan C. G. Mitchell, Ed. T. Jurney, and Margaret Ramsey—825(L)
Consecutive orbital electron captures, Fu-Chun Yu, Donald Gideon, and J. D. Kurbatov—382(L)
$d-H^3$ reaction in Cb and Ag, D. N. Kundu and M. L. Pool—140(A)
Deuteron bombardment of neon isotopes, F. K. Elder, Jr., H. T. Motz, and P. W. Davison—917(L)
Disintegration energy of Na^{24}, Edgar C. Barker—453(L)
Escape of protons and neutrons from bombarded Bi, J. M. Cork—144(A)
Formation of RaE and Po by deuteron bombardment of Bi, H. E. Tatel and J. M. Cork—159
Gamma-meson reactions induced by 100-Mev x-rays, search for, N. A. Bonner, G. Freidlander, L. P. Pepkowitz, and M. L. Perlman—511
Gamma-radiation from Be^9+H^1, C. C. Lauritsen, T. Lauritsen, and W. A. Fowler—279(A)
Gamma-rays from Al bombarded with protons, K. J. Broström, T. Huus, and R. Tangen—661
Gamma$-p$ reactions in Be^9, Wm. Ogle, Leon Brown, and Richard Conklin—378(L)
Internally converted gamma-radiation from Ta, James M. Cork and Franklin B. Shull—182, 467(A)
H^3 bombardment of Ag and Rh, D. N. Kundu and M. L. Pool—467(A)
L-converted isomeric transition, M. Goldhaber, C. O. Muehlhause, and S. H. Turkel—372(L), 467(A)
Of Li^7 by deuterons, W. E. Bennett, T. W. Bonner, H. T. Richards, and B. E. Watt—11
Neutron spectra of Li, Al, and Be bombarded with deuterons, J. S. Laughlin and P. G. Kruger—484(A)
Performance of the 184-inch cyclotron, W. M. Brobeck, E. O. Lawrence, K. R. MacKenzie, E. M. McMillan, R. Serber, D. C. Sewell, K. M. Simpson, and R. L. Thornton—449
Photo-disintegration of Li^7, Mg^{24}, Al^{27}, Si^{28}, S^{32}, and Ca^{40}, thresholds, Robert A. Becker, A. O. Hanson, and B. C. Diven—466(A)
Photo-fission in heavy elements, G. C. Baldwin and G. S. Klaiber—3
Range-momentum of particles emitted in disintegrations induced by 100-Mev x-rays, G. S. Klaiber, E. A. Luebke, and G. C. Baldwin—649
Reaction Al^{27} $(d; p, \alpha)$ Na^{24}, E. T. Clarke—187
$_{38}Sr^{86}(n,\gamma)_{38}Sr^{87}$ reaction produced by thermal neutrons, Leo Seren, Herbert N. Friedlander, and Solomon Turkel—454(L)
Of twenty-one minute isomer of Mn^{52}, R. K. Osborne and M. Deutsch—467(A)
Width of 985 kev Al (p, γ) resonance, R. S. Bender, F. C. Shoemaker, and J. L. Powell—905(L)
Yields of protons in transmutations, Ernest Pollard—467(A)
Dissociation
By electron bombardment of $SiCl_4$, R. H. Vought—93
Energy of CO, H. D. Hagstrum—376(L)
Of formic acid monomer by electron impact, Thomas Mariner and Walker Bleakney—139(A)
Dynamics
Escape from earth by multiple-step rockets, Martin Summerfield—279(A)
Forced vibrations, non-linear restoring force, Carl A. Ludeke—481(A)
Gyroscopic effects in a vibratory system, G. S. Bennett—481(A)
Nuclear energy and rocket propulsion, H. S. Seifert and M. M. Mills—279(A)
Shock-waves, R. W. Wood—471(A)

Efficiency of ionization
Probability of *K*-ionization of Ni by electrons, L. T. Pockman, D. L. Webster, P. Kirkpatrick, and K. Harworth—330, 470(A)
Elasticity
Of beta-phase alloys, Clarence Zener—846
Cauchy relations, Clarence Zener—323(L)
Creep and relaxation, B. Gross—144(A)
Effect of x-rays on elastic constants of quartz, Virgil E. Bottom—476(A)
Elastic losses in rubber, H. S. Sack and H. L. Raub—486(A)
Finite elastic strain of cubic crystals, Francis Birch—809
Grain boundaries in metals, T'ing-Sui Kê—142(A)
Mechanism for ductile failure, Paul E. Shearin—832(A)
Non-linear springs, G. W. Crawford and F. T. Rogers, Jr.—833(A)
Refraction of shocks in gases, A. H. Taub—465(A)
Relaxation in plastic materials, M. Mochulsky, R. D. Andrews, and A. V. Tobolsky—487(A)
Of sodium chlorate, S. Bhagavantam and D. Suryanarayan—553(L)
Stress-strain curves, analysis, George Halsey—487(A)
Torsion of a rubber cylinder, R. S. Rivlin—487(A)
Variation of torsional modulus with frequency, S. J. Barnett and D. S. Webber—143(A), 895
Viscous behavior of grain boundaries, T'ing-Sui Kê—533
Electrical conductivity and resistance
Of conducting rubber, Paul E. Wack—489(A)
Conductivity pulses induced in diamond by alpha-particles, D. E. Wooldridge, A. J. Ahearn, and J. A. Burton—913(L)

Electrical conductivity and resistance (continued)
Of Ge and Si from 10° to 600°K, G. L. Pearson and W. Shockley—142(A)
Ge-Ge contacts, S. Benzer—141(A)
Of graphite, theory, P. R. Wallace—622
Ionization of impurity levels in semi-conductors, B. Goodman, A. W. Lawson, and L. I. Schiff—191
Low temperature resistivity of Ge semi-conductors, V. A. Johnson and K. Lark-Horovitz—483(A)
Magnetic transition curves in superconducting Ta, Robert T. Webber—471(A)
Photo- and thermo-effects in Ge rectifiers, Ralph Bray and K. Lark-Horovitz—141(A)
Quenching of superconductivity, M. J. Sienko, and R. A. Ogg, Jr.—319(L)
Rectification at a metal semi-conductor contact, John Bardeen—717
Resistivity of Ge, effect of additions, I. Estermann, A. Foner, and J. A. Randall—484(A)
Silicon rectifiers, contact potential difference, Walter E. Meyerhof—727
Of sodium-ammonia solutions, Luigi Giulotto and Alberto Gigli—211(L), D. K. MacDonald, K. Mendelssohn, and A. J. Birch—563(L), Erratum—829(L), Melvin Eisner and Joseph W. Straley—832(A)
Temperature coefficient for crystalline Se, Wayne E. Blackburn—277(A)
Transition from classical to quantum statistics in semiconductors, Vivian A. Johnson and K. Lark-Horovitz—374(L), Erratum—909(L)

Electromagnetic theory
Angular momentum of photons, José A. Balseiro—79
Čerenkov radiation, R. H. Dicke—737(L)
Diffraction pattern of a circular aperture, C. L. Andrews—777
Field of a point source, Riesz method and λ-limiting process, S. T. Ma—787
Hydrogen atom and generalized classical electrodynamics, C. Jayaratnam Eliezer—49
Magnetic energy, G. H. Livens—58
Radiation from accelerated electrons, F. R. Elder, A. M. Gurewitsch, R. V. Langmuir, and H. C. Pollock—829(L)
Radiation from an antenna, Ronold W. P. King—134(A)
Theory of corner reflector, Roy C. Spencer—134(A)

Electron optics
Motion of charged particles in inhomogeneous anisotropic media, N. Chako—469(A)

Electronic tubes (see also **Methods and instruments**)
Positive grid characteristics of a triode, George W. Wood—832(A)

Electrons (see also **Positrons**)
Electron affinity of positronium, Egil A. Hylleraas—491

Electrophoresis
And electric charges, Felix Ehrenhaft—143(A)

Elements
Number of elements, Miguel Masriera—458(L)
Search for element 87, Horia Hulubei—740

Errata
Analysis of the vibration-rotation band ω_3 for $C^{12}O^{16}_2$ and $C^{13}O^{16}_2$, Alvin H. Nielsen and Y. T. Yao—825(L)
Collision of neutrons with deuterons and the reality of exchange forces, H. S. W. Massey and R. A. Buckingham—829(L)
Conductivity of sodium-ammonia solutions, D. K. C. MacDonald, K. Mendelssohn and A. J. Birch—829(L)
Expanding universe and the origin of elements, G. Gamow—273(L)
K x-ray absorption edge of silicon, Vola P. Barton and George A. Lindsay—736(L)
Note on the scattering of radiation in an inhomogeneous medium, C. L. Pekeris—457(L)
On the disintegration of negative mesons, M. Conversi, E. Pancini, and O. Piccioni—557(L)
On the scattering and absorption of particles by atomic nuclei, H. Feshbach, D. C. Peaslee, and V. F. Weisskopf—564(L)
Quadrupole moments and spins of Br, Cl, and N nuclei, C. H. Townes, A. N. Holden, J. Bardeen, and F. R. Merritt—829(L)
Transition from classical to quantum statistics in germanium semiconductors at low temperature, Vivian A. Johnson and K. Lark-Horovitz—909(L)

Excitation of atoms and molecules
Molecular vibrations excited by electrons, Ta-You Wu—111

Excitation of nuclei (see also **Disintegration and excitation of nucleus; Nuclear structure**)
Nuclear excitation functions. II. Al^{27} $(d; p, \alpha)$ Na^{24}, E. T. Clarke—187

Field theory
Pais' *f*-field theory and mirror nuclei, A. S. Wightman—447
Quantized space-time, Hartland S. Snyder—38

Films, properties of
Structure of evaporated Sb films, H. Levinstein and H. R. Crane—476(A)

Fission of nucleus
Alpha-particles emitted, G. Farwell, E. Segrè, and C. Wiegand—327
Distribution of fission fragments, David H. Frisch—478(A)
Fifty-five-hour element 61, Mark G. Inghram, David C. Hess, Jr., Richard J. Hayden, and George W. Parker—743(L)
Fission fragments, Pierre Demers—483(A)
Gamma-rays from U(235) fission, S. Bernstein, W. M. Preston, G. Wolfe, and R. Slattery—463(A)
Nuclear properties of U^{233}, G. T. Seaborg, J. W. Gofman, and R. W. Stoughton—378(L)
Photo-neutrons from fission products in heavy water, S. Bernstein, W. M. Preston, G. Wolfe, and R. E. Slattery—140(A)
Range of fission fragments in photographic emulsion, H. T. Richards and Lyda Speck—141(A), J. K. Bøggild, O. H. Arrøe, and T. Sigurgeirsson—281
Ternary and quaternary fission, San-Tsiang Tsien, Ho Zah-Wei, R. Chastel, and L. Vigneron—382(L)

Fluid dynamics (see also **Hydrodynamics**)
Atomization, J. M. Schmidt—278(A)
Axially symmetrical supersonic flow, A. Vazsonyi—278(A)
Hydrodynamic stability, C. C. Lin—471(A)
Interferometry of faster-than-sound phenomena, Rudolf Ladenburg—464(A)
Scale factors in entry of projectiles into water, Harold Wayland—470(A)

Gamma-rays (see also **Disintegration and excitation of nucleus; Radioactivity**)
Gamma-ray yield curve of aluminum bombarded with protons, K. Broström, T. Huus, and R. Tangen—661
Gases
Refraction of shocks in gases, A. H. Taub—465(A)
Gyromagnetization (see also **Magnetic properties**)
Discrepancy in gyromagnetic measurements, S. J. Barnett and D. S. Webber—143(A)

Hall effect
In Ge, W. Crawford Dunlap, Jr.—471(A)
Of Ge and Si from 10° to 600°K, G. L. Pearson and W. Shockley—142(A)
High voltage tubes and machines (see also **Methods and instruments**)
Beam from a betatron, Rolf Wideröe—376(L)
Biased betatron, W. F. Westendorf—271(L)
400-kv source, Samuel K. Allison, Leticia Del Rosario, Joan Hinton, and Howard Wilcox—139(A)
Nuclear electrostatic generator, E. G. Linder—129(L)
Performance of the 184-inch cyclotron, W. M. Brobeck, E. O. Lawrence, K. R. MacKenzie, E. M. McMillan, R. Serber, D. C. Sewell, K. M. Simpson, and R. L. Thornton—449
Hydrodynamics
Axially symmetrical supersonic flow, A. Vazsonyi—278(A)
Characterization of fields of diabatic flow, Bruce L. Hicks—476(A)
Compressible flows with degenerate hodographs, John H. Giese—474(A)
Drag coefficient of spheres entering water, Albert May and Jean C. Woodhull—475(A)
Drag forces and cavity formation, J. Howard McMillen and E. Newton Harvey—475(A)
Interaction between boundary layer and shock waves, H. W. Liepmann—465(A)
Interferometry of faster-than-sound phenomena, Rudolf Ladenburg—464(A)
Limitations of linearized theory of supersonic flow around cones, Zdenek Kopal—474(A)
Motion at high velocity through compressible medium, R. N. Thomas—474(A)
Oscillations and stability of laminar flow, H. K. Skramstad and G. B. Schubauer—475(A)
Pressure produced by flat plate striking water, P. N. Metzelaar and D. E. Allmand—475(A)
Stability of shock waves in channel flows, Arthur Kantrowitz—465(A)
Supersonic problems in astronomy, Fred L. Whipple—474(A)
Two-dimensional flows of a compressible fluid, operator method, Stefan Bergman—474(A)
Hyperfine structure (see also **Nuclear moments and spin**)
Of atomic hydrogen and deuterium, J. E. Nafe, E. B. Nelson, and I. I. Rabi—914(L)
Of NH_3, Walter Gordy and Myer Kessler—640(L)

Ionization by collision (see also **Ionization potentials**)
Critical ionization potentials of uranium hexafluoride and hydrogen fluoride, J. R. White and A. E. Cameron—907(L)
Ionization potentials
By use of photoelectric cells, Arthur Waltner—834(A)
Critical ionization potentials of uranium hexafluoride and hydrogen fluoride, J. R. White and A. E. Cameron—907(L)
Of formic acid monomer, Thomas Mariner and Walker Bleakney—139(A)
Of $SiCl_4$ and $SiCl_2$, R. H. Vought—93
Ionization by radiation (see also **Photo-ionization**)
Thermal ionization of impurity levels in semi-conductors, B. Goodman, A. W. Lawson, and L. I. Schiff—191
Ionosphere
Ionization by meteoric bombardment, J. A. Pierce—88
True height of layer, J. A. Pierce—698
Ions
Half-life of metastable ions, J. A. Hipple—594
Isotopes
Abnormal abundance produced by neutron absorption in Cd, A. J. Dempster—144(A)
Abundance of copper isotopes, Henry E. Duckworth and Benjamin G. Hogg—212(L)
Abundance of He^3, L. T. Aldrich and A. O. Nier—143(A)
Changes in Cd by neutron absorption, A. J. Dempster—829(L)
Concentration of He^3 in liquid and vapor He^4, Henry A. Fairbank, C. T. Lane, L. T. Aldrich, and Alfred O. Nier—911(L)
Single field mass spectrometer, E. P. Ney and A. K. Mann—835(A)

Liquids (see also **Hydrodynamics**)
Atomization, J. M. Schmidt—278(A)
Convection currents in a porous medium, H. L. Morrison and F. T. Rogers, Jr.—834(A)
Permeabilities of unconsolidated sands, H. L. Morrison—837(A)
Pressure and temperature waves in He, C. T. Lane, William Fairbank, and Henry Fairbank—477(A)
Second sound in liquid helium II, C. T. Lane, Henry A. Fairbank, and William M. Fairbank—600
Second sound in He II, Lothar Meyer and William Band—828(L)
Second virial coefficient of water, Vernon Myers—478(A
Temperature dependence of "second sound" velocity i He, Henry Fairbank, William Fairbank, and C. . Lane—477(A)

Liquids (continued)
Theory of "second sound" in He, L. Tisza—477(A)
Ultrasonic absorption and velocity measurements in He, J. R. Pellam, and C. F. Squire—477(A)

Magnetic fields
Facilities of Kensington Magnetic Laboratory, B. P. Ramsay and F. L. Yost—834(A)

Magnetic properties (see also **Nuclear moments and spin**)
Anomalous Larmor frequencies, Charles Kittel—270(L)
Complex permeability of iron at 200 Mc, G. T. Rado, M. H. Johnson, and M. Maloof—472(A); M. H. Johnson, G. T. Rado, and M. Maloof—322(L)
Complex permeabilities of metals at UHF, M. H. Johnson, G. T. Rado, and M. Maloof—472(A)
Diamagnetic susceptibility of gamma-brasses, temperature dependence, Jules A. Marcus—471(A)
Direction of domain magnetization, H. J. Williams—646(L)
Discrepancy in gyromagnetic measurements, S. J. Barnett and D. S. Webber—143(A)
deHaas-van Alphen effect in zinc, Jules A. Marcus—559(L)
Of graphite, theory, P. R. Wallace—476(A), 622
Gyromagnetic ratio, S. J. Barnett and D. S. Webber—895
Magnetic ions and currents, Brother Gabriel Kane—458(L)
Magnetic moment of triton, R. G. Sachs—457(L)
Material of high permeability, O. L. Boothby and R. M. Bozorth—472(A)
Quenching of superconductivity, M. J. Sienko and R. A. Ogg, Jr.—319(L)
Single magnetic poles, existence of, Elliot T. Benedikt and Herta R. Leng—454(L), 480(A); Felix Ehrenhaft—138(A), 480(A); Brother Gabriel Kane—458(L)

Mechanics, quantum—atomic structure and spectra
Matrix elements for He, Werner Romberg—706
Weinstein's variational method, W. Kohn—902

Mechanics, quantum—general
Applications of variational method, Walter Kohn—635, Remarks, B. Davison—694
Correspondence treatment of radiation, W. H. Furry—468(A)
Expansibility of solutions, Niels Arley—272(L)
General condition of Heisenberg for the *S* matrix, S. T. Ma—195
Heitler theory of radiation damping, John M. Blatt—468(A)
Hydrodynamical equations, M. Dresden—143(A)
Invariant form of quantum equations, E. M. Corson—200
Lower bounds for eigenvalues, R. J. Duffin—827(L)
Momentum operator in wave mechanics. Quadratic integrability, Aurel Wintner—547
Quantized space-time, Hartland S. Snyder—38
Redundant zeros in Heisenberg's theory, S. T. Ma—210(L)
Relativistic wave equations, Harish-Chandra—793
Stability of polyelectrons, Egil A. Hylleraas and Aadne Ore—468(A)
Theory of alpha-radioactivity, Melvin A. Preston—865
Unboundedness of quantum-mechanical matrices, Aurel Wintner—738(L)
Of vibrating string, Nathan Rosen—833(A)

Mechanics, quantum—of solid bodies
Eigenfunctions and eigenvalues in solids, application to Na, Fred C. Von der Lage and H. A. Bethe—612

Mesotrons (see also **Cosmic radiation**)
Decay in matter, M. Conversi, E. Pancini, and O. Piccioni—209(L), 557(L); E. Fermi, E. Teller, and V. Weisskopf—314; T. Sigurgeirsson and A. Yamakawa—319(L)
Mass, Donald J. Hughes—387
Mean life at 11,500 feet, Harold K. Ticho—463(A)
Mechanism of absorption, John A. Wheeler—320(L), 462(A)
Probability of absorption, George Gamow—550(L)
Production at 30,000 feet, P. S. Gill—82
Showers under lead, William B. Fretter—462(A)

Metastable atoms and molecules
Half-life of metastable ions, J. A. Hipple—139(A), 594
Metastable ion transitions, Vernon H. Dibeler, C. Edward Wise, Jr., and Fred L. Mohler—381(L)

Meteorology
Electrical charge on precipitation, Ross Gunn—139(A), 181
Height of ionospheric layer, J. A. Pierce—698
Pressure and temperature up to 120 km, N. Best, R. Havens, and H. LaGow—915(L)
Temperature of ozone layer, Arthur Adel—564
Temperature of upper atmosphere, S. L. Seaton—557(L)
Upper air ionization by meteoric bombardment, J. A. Pierce—88

Methods and instruments
Absorption of HDO at 1.3 cm, Gilbert W. King and R. M. Hainer—135(A)
Alpha-ray image in emulsions, Herman Yagoda and Nathan Kaplan—910(L)
Angular distributions in resonance reactions, calculation, G. Breit and B. T. Darling—402
Applications of variational method, Walter Kohn—635
Automatically recording spectrograph for infra-red, Alvin H. Nielsen—831(A)
Beam from a betatron, Rolf Wideröe—376(L)
Biased betatron, W. F. Westendorf—271(L)
Binary counter and shaft position indicator, H. P. Stabler—135(A)
Bridge type electrical computers, William Krasny Ergen—138(A)
Carbon-pile voltage-regulator, theories for, Charles Dubs and F. T. Rogers, Jr.—834(A)
Centrifugal fields, 4×10^8 g, J. W. Beams and James L. Young, III—131(L)
Čerenkov radiation, R. H. Dicke—737(L)
Complex permeabilities of metals at UHF, M. H. Johnson, G. T. Rado, and M. Maloof—472(A)
Computor for mechanical system, F. T. Rogers, Jr.—836(A)

Conductivity pulses induced in diamond by alpha-particles, D. E. Wooldridge, A. J. Ahearn, and J. A. Burton—913(L)
Cosmic ray directional counter, Alfredo Baños, Jr. and M. L. Perusquía—276(A)
Delays in firing time of counters, Chalmers W. Sherwin—479(A)
Detecting the neutrino, K. C. Wang—645(L)
Detector for high energy electrons and mesons, I. A. Getting—123(L)
Determinations of *XR* for high energy particles, F. T. Rogers, Jr.—833(A)
Diffraction by cellulose acetate yarns, Emmett Martin—488(A)
Double focusing beta-ray spectrometer, Franklin B. Shull and David M. Dennison—681
Eigenfunctions and eigenvalues in solids, application to Na, Fred C. Von der Lage, and H. A. Bethe—612
Elastic losses in rubber, H. S. Sack and H. L. Raub—486(A)
Electron attachment and ambipolar diffusion, Manfred A. Biondi and Sanborn C. Brown—481(A)
Escape from earth by multiple-step rockets, Martin Summerfield—279(A)
Evaporation of Ga; thin films, S. K. Haynes—832(A)
Facilities of Kensington Magnetic Laboratory, B. P. Ramsay and F. L. Yost—834(A)
Fast neutrons, detection of in presence of gamma radiation, Paul W. Reinhardt—836(A)
Ferromagnetism at very high frequencies. I—Magnetic iron at 200 mc, M. H. Johnson, G. T. Rado, and M. Maloof—322(L)
Film for neutron monitoring, J. S. Cheka—836(A)
Focusing cosmic-ray telescope, W. T. Harris—135(A), 310
Fringing flux corrections, Norman D. Coggeshall—482(A)
Gamma- and beta-ray energies by magnetic lens beta-ray spectrometer, Waldo Rall and Roger G. Wilkinson—321(L)
G.M. counter data, correction, Donald N. Gideon and J. D. Kurbatov—140(A)
Half-life of metastable ions, J. A. Hipple—594
High potential source, Samuel K. Allison, Leticia Del Rosario, Joan Hinton, and Howard Wilcox—139(A)
High rotational speeds, J. W. Beams and J. L. Young, III—835(A)
Integrating $\sin^2 x/x$, S. M. Christian—836(A)
Intense positive ion source for solids, A. E. Shaw—277(A)
Interferometry of faster-than-sound phenomena, Rudolf Ladenburg—464(A)
Introducing short-lived radioactive samples into cloud chamber, T. Lauritsen, W. A. Fowler, and C. C. Lauritsen—275(A)
Ionization chamber techniques in measurement of C^{14}, W. P. Jesse, L. A. Hannum, H. Forstat, and A. L. Hart—478(A)
Ionization potential of gases, Arthur Waltner—834(A)
Linear amplifier for general use, W. H. Jordan and P. R. Bell—482(A)
Low temperature thermometry, Edward Gerjuoy and A. Theodore Forrester—276(A), 375(L)
Macromolecular configurations in dilute solution, P. M. Doty, W. A. Affens, and B. H. Zimm—485(A)
Measuring half-lives, A. C. Graves and R. L. Walker—1
Micro-wave spectrograph, Richard H. Hughes and E. Bright Wilson, Jr.—562(L)
Molecular weight of liquid polymers, Alfred Weissler, J. W. Fitzgerald, and Irving Resnick—488(A)
Neutron velocity spectrometer, L. J. Rainwater, W. W. Havens, Jr., C. S. Wu, and J. R. Dunning—65
Nomogram for resolving time of counters, L. Jackson LaSlett—144(A)
Non-linear springs, G. W. Crawford and F. T. Rogers, Jr.—833(A)
Nuclear electrostatic generator, E. G. Linder—129(L)
Nuclear energy and rocket propulsion, H. S. Seifert and M. M. Mills—279(A)
Particle diameters and histograms from electron micrographs, E. E. Hanson and J. H. Daniel—487(A)
Particle size by low angle x-ray scattering, A. E. Smith—277(A)
Performance of the 184-inch cyclotron, W. M. Brobeck, E. O. Lawrence, K. R. MacKenzie, E. M. McMillan, R. Serber, D. C. Sewell, K. M. Simpson, and R. L. Thornton—449
Perot-Fabry interferometers as filters, H. M. O'Bryan—134(A)
Photoelectric nephelometer, N. Underwood and A. H. Doermann—834(A)
Photo-galvanometer feedback amplifier, Demetrius G. Jelatis—483(A)
Photographic neutron detection, R. A. Peck, Jr.—464(A)
Photography of fluid flow patterns, Garrett Birkhoff and Thomas E. Caywood—470(A)
Polyatomic gases in a fast counter, S. S. Friedland—377(L)
Positive grid characteristics of a triode, George W. Wood—832(A)
Probe for measurement of magnetic fields, E. C. Gregg—482(A)
Propagation of discharges in counters, Ernest Wantuch—646(L)
Radiation thermocouple, Howard Cary and K. P. George—276(A)
Radiofrequency switch, Donald E. Kerr, Sanborn C. Brown, and Walter P. Kern—480(A)
Reduction of data, F. T. Rogers, Jr.—837(A)
Refractive index of films, Fred W. Billmeyer—489(A)
Remark on the variational method, B. Davison—694
Servo-operated recording potentiometer, F. T. Rogers, Jr. and Marguerite M. Rogers—836(A)
Single field mass spectrometer, E. P. Ney and A. K. Mann—835(A)
Small variations in isotopic abundance; detection of, Henry E. Duckworth and Benjamin G. Hogg—212(L)

Methods and instruments (continued)
Sound velocity method for determination of molecular weight of liquid polymers, Alfred Weissler, J. W. Fitzgerald, and Irving Resnick—488(A)
Spherical harmonic method applied to the Milne problem, R. E. Marshak—443
Spectrophotometric study of reflectance, E. J. Eastmond—274(A)
Stable species $_{39}Y^{89}$, $_{40}Zr^{90}$, and $_{56}Ba^{134}$, M. H. Kurbatov and J. D. Kurbatov—466(A)
Static method of simulating accelerations, John J. Gilvarry and S. F. Eyestone—482(A)
Thermal noise and low temperature thermometry, Edward Gerjuoy and A. Theodore Forrester—276(A), 375(L)
Thermodynamic propulsion for wind tunnels, Francis Clauser—465(A)
Threshold detectors for fast neutrons, Bernard T. Feld, R. Scalettar, and L. Szilard—464(A)
Time intervals between related nuclear events, H. L. Schultz—134(A)
Ultrasonic interferometer, I. F. Zartman—479(A)
Variational method for asymptotic neutron densities, R. E. Marshak—688
Votaic effects in waterglass, E. Scott Barr—832(A)
Wave guides for slow waves, L. Brillouin—483(A)
Microwaves (see also **Electromagnetic theory; Electronic tubes**)
Absorption by O_2, J. H. Van Vleck—413
Absorption by uncondensed water vapor, J. H. Van Vleck—425
Absorption coefficients of water and related molecules, Gilbert King, R. M. Hainer, and Paul C. Cross—433
Absorption lines in OCS, T. W. Dakin, W. E. Good, and D. K. Coles—640(L)
Absorption of $N^{14}H_3$ and $N^{15}H_3$, W. E. Good and D. K. Coles—383(L)
Forces exerted on dielectric media, Otto Halpern—277(A)
Hyperfine structure of NH_3, Walter Gordy and Myer Kessler—640(L)
Inversion spectrum of NH_3, M. W. P. Strandberg, R. Kyhl, T. Wentink, Jr., and R. E. Hillger—326(L), 639(L)
Quadrupole moments and spins of Br, Cl, and N, C. H. Townes, A. N. Holden, J. Bardeen, and F. R. Merritt—644 (L), Erratum—829(L)
Quadrupole moments, spectra of NH_3, Richard J. Watts and Dudley Williams—639(L)
Rotational spectra of linear molecules, C. H. Townes, A. N. Holden, and F. R. Merritt—64(L)
Spectra of methyl iodide, Walter Gordy, A. G. Smith, and James W. Simmons—917(L)
Molecular structure and constants (see also **Spectra, molecular; Raman spectra**)
Dissociation energy of CO, H. D. Hagstrum—376(L)
Energy of positronium molecule, Egil A. Hylleraas and Aadne Ore—493
Field strengths and nuclear quadrupole moments, C. H. Townes—909(L)
Force constant and interatomic distance, C. K. Wu and S. C. Chao—118
Metastable state $\alpha^1\pi g$ of N_2, active nitrogen, Roland Meyerott—133(A)
Relation between ω_e and reduced mass, R. L. Purbrick—137(A)

Neutrino (see also **Radioactivity; Scattering of electrons, neutrons, and ions**)
Electron-neutrino angular correlation, Donald R. Hamilton—456(L)
K-capture in Cd, evidence from, Byron T. Wright—839
Maximum β-energies and neutrino mass, O. Kofoed-Hansen—451
Neutrons (see also **Scattering of electrons, neutrons, and ions**)
Absorbing isotopes in Gd and Sm, R. E. Lapp, J. R. Van Horn, and A. J. Dempster—745
Activities in rare earths, Mark G. Inghram and Richard J. Hayden—144(A)
Cross section for twenty-three elements, R. Fields, B. Russell, D. Sachs, and A. Wattenberg—508
Cross-section measurements, L. J. Rainwater, W. W. Havens, Jr., C. S. Wu, and J. R. Dunning—65
Cross section of Au, In, Ta, W, Pt, Zr, W. W. Havens, Jr., C. S. Wu, L. J. Rainwater, and C. L. Meaker—165
Cross section of I, Os, Co, Tl, Cb, Ge, C. S. Wu, L. J. Rainwater, and W. W. Havens, Jr.—174
Cross sections with a crystal spectrometer, William J. Sturm—757
Delayed neutrons from Pu^{239}, Robert R. Wilson—560(L)
Diffraction by single crystal, W. H. Zinn—752
Distribution in infinite medium, M. Verde and G. C. Wick—852
Electron waves in field of neutrons, Charles L. Critchfield—258
From $C^{13}+D$, energy spectrum, W. E. Bennett and H. T. Richards—565
Photo-neutrons from U^{235} fission products, S. Bernstein, W. M. Preston, G. Wolfe, and R. E. Slattery—573
Photo-neutron sources; energy, A. Wattenberg—497
Production in cosmic radiation, S. A. Korff and B. Hamermesh—842
Scattering in polycrystalline materials, R. M. Langer and J. F. Daly—464(A)
Scattering of slow neutrons, phase charge, E. Fermi and L. Marshall—666
Spherical harmonic method applied to the Milne problem, R. E. Marshak—443
$_{38}Sr^{86}(n,\gamma)_{38}Sr^{87}$ reaction produced by thermal neutrons, Leo Seren, Herbert N. Friedlander, and Solomon Turkel—454(L)
Theory of slowing down neutrons, S. H. Browne and T. Dantzig—463(A)
Thermal neutron activation cross sections, Leo Seren, Herbert N. Friedlander, and Solomon H. Turkel—463(A)
Threshold detectors for fast neutrons, Bernard T. Feld, R. Scalettar, and L. Szilard—464(A)

Transmission through microcrystalline materials, E. Fermi, W. J. Sturm, and R. G. Sachs—589
Variational method for asymptotic neutron densities, R. E. Marshak—688
Nuclear moments and spin (see also **Hyperfine structure**)
Coupling of nuclear quadrupole moments in polyatomic molecules, J. H. Van Vleck—468(A)
Electric quadrupole spectrum, homonuclear diatomic molecule, H. M. Foley—747
Electron waves in magnetic dipole fields of a neutron, Charles L. Critchfield—258
Of H_1 and H_2, F. Bloch, A. C. Graves, M. Packard, and R. W. Spence—551(L)
Of H_2, H. L. Anderson and A. Novick—372(L); F. Bloch, A. C. Graves, M. Packard, and R. W. Spence—373(L), 551(L)
Magnetic moments, neutron and deuterons, Wayne R. Arnold and Arthur Roberts—878
Magnetic moment of triton, R. G. Sachs—457
Nuclear quadrupole interactions, W. A. Nierenberg, N. F. Ramsey, and S. B. Brody—466(A)
Quadrupole moments, C. H. Townes—909(L)
Quadrupole moments and spins of Br, Cl, and N, C. H. Townes, A. N. Holden, J. Bardeen, and F. R. Merritt—644(L), Erratum—829(L)
Relativistic corrections, G. Breit—400
Of Na by polarization of resonance radiation, Marguerite M. Rogers—833(A)
Spin from the Stark effect, microwave spectra, W. V. Smith—126(L)
Of U^{238}, O. E. Anderson and H. E. White—911(L)
Nuclear structure (see also **Disintegration of nucleus**)
Classical model, J. G. Winans—379(L); B. Davison and W. H. Watson—742(L)
Disintegration energy of Na^{24}, Edgar C. Barker—453(L)
Energy levels in Mn^{56}, A. B. Martin—466(A)
Integral and rational numbers in nuclear domain, Enos E. Witmer—126(L)
Interaction between meson and nucleon, Charles L. Critchfield—908(L)
Levels in Mn^{56}; spacing, A. B. Martin—127(L)
Meson theory of nuclear forces, Leslie L. Foldy—276(A)
Metastable state in Re^{187}, S. De Benedetti and F. K. McGowan—380(L)
Nuclear energy surface, Eugene Feenberg—468(A)
Nuclear radius and mass number, E. Amaldi and B. N. Cacciapuoti—739(L)
Number of elements, Miguel Masriera—458(L)
Reality of exchange forces, H. S. W. Massey and R. A. Buckingham—558(L), Erratum—829(L)

Optical constants and properties
Diffuse reflection from dielectrics, Wm. A. Rense—832(A)
Infra-red vibrations in NaCl, Jordan J. Markham—473(A)
Specular reflection from Hg vapor, J. M. Hansen and H. W. Webb—483(A)
Strain birefringence in visco-elastic materials, Turner Alfrey, Jr.—486(A)

Phosphorescence
Cu-activated ZnS_1, Hubert M. James—137(A)
Mechanism of infra-red-sensitive phosphors, Ferd E. Williams—831(A)
Photo-disintegration
Gamma-p reaction in Be^9, Wm. Ogle, Leon Brown, and Richard Conklin—378(L)
Range-momentum of particles emitted in disintegrations induced by 100-Mev x-rays, G. S. Klaiber, E. A. Luebke, and G. C. Baldwin—649
Photoelectric effect and properties; cells
Emission from a rough surface, Hugh Bradner—269(L)
Energy distributions of photoelectrons from W, L. Apker, E. Taft, and J. Dickey—473(A)
From liquid ammonia solutions of alkali metals, Gordon K. Teal—138(A)
Photo-ionization
Fluctuations of ionization yield, U. Fano—480(A)
Photons
Angular momentum, José A. Balseiro—79
Piezoelectric effect
In barium titanate, Shepard Roberts—890
Piezoelectric vibrations of Rochelle salt plates, N. Chako—485(A)
Polymerization, properties of polymers
Cellulose acetate, ultracentrifuge, S. Singer and H. Mark—487(A)
Dielectric properties of butadiene-containing polymers and copolymers, R. F. Boyer, E. B. Baker, and P. C. Woodland—488(A)
Diffraction by cellulose acetate yarn, Emmett Martin—488(A)
Intrinsic viscosity and molecular weight in polymer solutions, P. Debye—486(A)
Positrons
Electron affinity of positronium, Egil A. Hylleraas—491
Energy of positronium molecule, Egil A. Hylleraas and Aadne Ore—493
Probability
First passage time problem, Markoffian random function, A. J. F. Siegert—485(A)
Two-dimensional Markoffian random function, A. J. F. Siegert—469(A)
Proceedings of the American Physical Society
New Haven, Connecticut Meeting October 26, 1946—133
Minneapolis, Minnesota Meeting November 29–30, 1946—136
Los Angeles, California Meeting January 3–4, 1947—274
New York, New York Meeting January 30–31 and February 1, 1947—460
Salisbury, North Carolina Meeting April 4–5, 1947—831
Rochester, New York Meeting April 12, 1947—744

Radiation
Radiation from accelerated electrons, F. R. Elder, A. M. Gurewitsch, R. V. Langmuir, and H. C. Pollock —829(L)
Radio (see also **Ionosphere**)
Interpretation of radiation from an antenna, Ronold W. P. King—134(A)
Radioactivity (see also **Disintegration of nucleus**)
Alpha-particles emitted in coincidence with fission, G. Farwell, E. Segrè, and C. Wiegand—327
Alpha-particles from 94^{239} and 94^{238}, O. Chamberlain, J. W. Gofman, E. Segrè, and A. C. Wahl—529
Alpha-ray image in emulsions, Herman Yagoda and Nathan Kaplan—910(L)
Of As^{73}, Allan C. G. Mitchell, Ed. T. Jurney, and Margaret Ramsey—825(L)
Of Be^{10}, J. Levinger and E. Meiners—586
Decay rate and chemical compounds, Emilio Segrè—274(A)
Decay scheme of Cs^{134}, Kai Siegbahn and Martin Deutsch—483(A)
Double focusing beta-ray spectrometer, Franklin B. Shull and David M. Dennison—681
Electron-neutrino angular correlation, Donald R. Hamilton—456(L)
Energy limit of K^{40} beta-ray spectrum, W. J. Henderson —323(L)
Energy produced by plutonium, J. W. Stout and W. M. Jones—582
Of Eu and Ho by neutron bombardment, M. G. Inghram and R. J. Hayden—130(L)
Fifty-five hour element 61, M. G. Inghram, David C. Hess, Jr., Richard J. Hayden, and George W. Parker —743(L)
Of fission products, S. Bernstein, W. M. Preston, G. Wolfe, and R. E. Slattery—573
Forty-three day $_{48}Cd^{115}$, Leo Seren, D. Engelkemeir, W. Sturm, H. N. Friedlander, and S. Turkel—409
Of Ga^{72}, coincidence experiments, Allan C. G. Mitchell, Ed. T. Jurney, and Margaret Ramsey—324(L)
Gamma- and beta-ray energies by magnetic lens beta-ray spectrometer, Waldo Rall and Roger G. Wilkinson —321(L)
Gamma-meson reactions induced by 100-Mev x-rays; search for, N. A. Bonner, G. Freidlander, L. P. Pepkowitz, and M. L. Perlman—511
Gamma-ray of N^{13}, L. M. Langer, C. S. Cook, and M. B. Sampson—906(L)
Gamma-rays from W and Mo, W. M. Schwarz and M. L. Pool—122(L)
Gamma-rays from U(235) fission, S. Bernstein, W. M. Preston, G. Wolfe, and R. Slattery—463(A)
Gamma-rays of Po^{210}, S. De Benedetti and E. H. Kerner—122(L)
Half-life of Be^{10}, D. J. Hughes, C. Eggler, and C. M. Huddleston—269(L)
Induced by neutron bombardment of Sm, Mark G. Inghram, Richard J. Hayden, and David C. Hess, Jr. —643(L)
Of isotopes of Re, Os, and Ir, Leon J. Goodman and M. L. Pool—288
Of K^{40}, H. A. Meyer, G. Schwachheim, and M. D. de Souza Santos—908(L)
Of La^{140}, Allan C. G. Mitchell, Lawrence M. Langer, and Leon J. Brown—140(A)
L-converted isomeric transition, M. Goldhaber, C. O. Muehlhause, and S. H. Turkel—467(A), 372(L)
Long-lived radio-iodine, L. E. Glendenin and R. R. Edwards—742
Long-lived I^{129}, Seymour Katcoff—826(L)
In Lu, Yb, and Dy, Mark G. Inghram, Richard J. Hayden, and David C. Hess, Jr.—270(L)
Measuring half-lives, A. C. Graves and R. L. Walker—1
Metastable state in Re^{187}, S. De Benedetti and F. K. McGowan—380(L)
Neutrino, evidence for, Byron T. Wright—839
Neutron induced activities in rare earths, Mark G. Inghram and Richard J. Hayden—144(A)
Ninety-day activity in element 43, E. E. Motta, G. E. Boyd, and A. R. Brosi—210(L)
Ninety-three kev-γ-line of UX_1, H. L. Bradt and P. Scherrer—141(A)
Pu in pitchblende, M. I. Corvalen—132(L)
Of Po, Bi, and Pb, J. J. Howland, D. H. Templeton, and I. Perlman—552(L)
Stable species $_{39}Y^{89}$, $_{40}Zr^{90}$, and $_{56}Ba^{134}$ by nuclear transmutations, M. H. Kurbatov and J. D. Kurbatov —466(A)
Theory of alpha-radioactivity, Melvin A. Preston—865
Thermal neutron activation cross sections, Leo Seren, Herbert N. Friedlander, and Solomon H. Turkel—463(A)
Tolerance concentrations of radioactive substance, Karl Z. Morgan—835(A)
Raman spectra
Low frequency lines in organic crystals, A. Kastler and A. Rousset—455(L)
Range of particles
Range-energy values for protons in air and Al, J. H. Smith—32
Rectifier (see also **Electrical conductivity and resistance**)
Contact potential difference in silicon rectifiers, Walter E. Meyerhof—727
Photo- and thermo-effects in *p*-type Ge rectifiers, Ralph Bray and K. Lark-Horovitz—141(A)
Relativity
Clock paradox, E. L. Hill—143(A)
Notes on Wheeler-Feynman Theory, Carlton W. Berenda—550(L)
Problem of homogeneous incompressible fluid sphere, Brownie Newman and Nathan Rosen—833(A)
Relativistic wave equations, Harish-Chandra—793
Rotational motion, E. L. Hill—318(L), Nathan Rosen—54

Scattering of electrons, neutrons, and ions (see also **Neutrons**)
Angular distributions in resonance reactions, G. Breit and B. T. Darling—141(A)

Collision of neutrons with deuterons, H. S. W. Massey and R. A. Buckingham—558(L), Erratum—829(L)
Collision of neutrons with deuterons and the reality of exchange forces, John H. Williams—908(L)
Elastic scattering of electrons by nuclei, W. W. Buechner, E. A. Burrill, A. Sperduto, R. J. Van de Graaff, and H. Feshbach—142(A)
Fast neutrons by protons and deuterons, M. Ageno, E. Amaldi, D. Bocciarelli, and G. C. Trabacchi—20
Interference phenomena of slow neutrons; phase change, E. Fermi and L. Marshall—666
Multiple scattering of protons in air, E. A. Luebke, G. S. Klaiber, and G. C. Baldwin—657
Neutron cross section for Hg, Mark G. Inghram, David C. Hess, Jr., and Richard J. Hayden—561(L)
Neutron-proton and proton-proton scattering, J. Ashkin and R. E. Marshak—467(A)
Neutron-proton interaction, H. M. Moseley and Nathan Rosen—835(A)
Neutron-proton scattering, Melvin Eisner and Nathan Rosen—833(A)
Neutron scattering in ortho- and parahydrogen, Morton Hamermesh and Julian Schwinger—678
Of neutrons by Dy and Nd, William J. Sturm and George P. Arnold—556(L)
Of neutrons by Mn, N. H. Barbre and M. Goldhaber—141(A)
Of neutrons by protons, angular distribution, J. S. Laughlin and P. Gerald Kruger—736(L)
Of neutrons in deuterium and oxygen, Richard G. Nuckolls, Carl L. Bailey, William E. Bennett, Thor Bergstrahl, Hugh T. Richards, and John H. Williams—140(A)
Of neutrons in infinite medium, M. Verde and G. C. Wick—852
Proton-proton scattering at 8 Mev, Robert R. Wilson and Edward C. Creutz—339
Proton-proton scattering at 10 Mev, Robert R. Wilson—384(L)
Proton-proton scattering at 14.5 Mev, Robert R. Wilson, Edward J. Lofgren, J. Reginald Richardson, Byron T. Wright, and Robert S. Shankland—560(L)
Range-energy values for protons in air and Al, J. H. Smith—32
Range, straggling, of fast protons, Robert R. Wilson—385(L)
Scattering and absorption by atomic nuclei, H. Feshbach, D. C. Peaslee, and V. F. Weisskopf—145; Erratum—564(L)
Slow neutrons by bound protons, methods of calculation, G. Breit—215
Slow neutrons by bound protons, harmonic binding, G. Breit and P. R. Zilsel—232
Statistics of single and plural scattering, S. A. Goudsmit and H. S. Snyder—478(A)
Theory of multiple scattering, H. S. Snyder—478(A)
Theory of refraction and diffraction of neutrons, M. L. Goldberger and Frederick Seitz—294
Of thermal neutrons by Al and Sr, E. Fermi and L. Marshall—915(L)
Of thermal neutrons in polycrystalline materials, R. M. Langer and J. F. Daly—464(A)

Scattering of radiation (see also **Raman spectra**)
From statistically distributed scatterers, Peter G. Bergmann—469(A)
Gamma-radiation, large angle, E. C. Pollard and B. B. Benson—134(A)
In an inhomogeneous medium, C. L. Pekeris—268(L)

Semi-conductors (see also **Electrical conductivity and resistance**)
Surface states and rectification at a metal semi-conductor contact, John Bardeen—717
Transition from classical to quantum statistics in semi-conductors at low temperatures, Vivian A. Johnson and K. Lark-Horovitz—374(L)

Shock waves (see also **Hydrodynamics**)
Glancing reflection of shocks, V. Bargmann—473(A)
Initial motion of a spherical shock, Y. H. Kuo—476(A)
Interaction between boundary layer and shock waves, H. W. Liepmann—465(A)
Interaction of shock-waves, R. W. Wood—471(A)
Interferometry of faster-than-sound phenomena, Rudolf Ladenburg—464(A)
Intersection of shock-waves, H. A. Einstein—473(A)
Normal reflection of waves, R. Finkelstein—42
Propagation in water, R. H. Cole and J. S. Coles—128(L)
Refraction of shocks in gases, A. H. Taub—465(A)
Stability of shock-waves in channel flows, Arthur Kantrowitz—465(A)
Theory of propagation, Stuart R. Brinkley and John G. Kirkwood—606

Solutions
Orientation of atoms in metallic solid solution, Clarence Zener—34

Specific heat
Bounded linear harmonic oscillator, B. Suryan—741(L)
Oscillator concept, theory of solids, E. M. Corson and I. Kaplan—130(L)

Spectra, absorption (see also **Absorption of radiation**)
Bond distances in OCS, T. W. Dakin, W. E. Good, and D. K. Coles—640(L)
Of HDO at 1.3 cm, Gilbert W. King and R. M. Hainer—135(A)
In formaldehyde beyond 10μ, Willard E. Singer—531
Infra-red spectrum of H_2S, Robert H. Noble and Harald H. Nielsen—484(A)
Infra-red spectrum of CH_3F, Kenneth P. Yates and Harald H. Nielsen—349
Intensities of vibrational absorption bands, E. Bright Wilson, Jr. and A. M. Thorndike—479(A)
Of linear molecules near 1-cm wave-length, C. H. Townes, A. N. Holden, and F. R. Merritt—64(L)
Line width in rotation spectrum of water vapor, Arthur Adel—806
Of methyl alcohol and methylamine, W. D. Hershberger and John Turkevich—554(L)
Microwave absorption coefficients of water and related molecules, Gilbert King, R. M. Hainer, and Paul C. Cross—433

Spectra, absorption (continued)
Of microwaves by oxygen, J. H. Van Vleck—413
Of microwaves by uncondensed water vapor, J. H. Van Vleck—425
Microwave of $N^{14}H_3$ and $N^{15}H_3$, W. E. Good and D. K. Coles—383(L)
Nuclear magnetic resonance, N. Bloembergen, R. V. Pound, and E. M. Purcell—466(A)
Rotational spectra of some molecules, nuclear quadrupole moments of Br and Cl, C. H. Townes, A. N. Holden, and F. R. Merritt—479(A)
Rotational structure of InCl bands, J. G. Winans and H. M. Froslie—137(A)

Spectra, atomic
Fine structure of H_α, L. Giulotto—562(L)
Line strengths in FeI, Winston M. Gottschalk—133(A)
Of Th III, R. J. Lang—907(L)

Spectra, general
Nuclear magnetic resonances, low temperature, F. Bitter, N. L. Alpert, H. L. Poss, C. G. Lehr, and S. T. Lin—738(L)
Solar spectra at 55 and 75 km, E. Durand, J. J. Oberly, and R. Tousey—827(L)

Spectra, molecular (see also **Molecular structure and constants**)
Analysis of the vibration-rotation band ω_3 for $C^{13}O_2^{16}$ and $C^{13}O_2^{18}$, Erratum, Alvin H. Nielsen and Y. T. Yao—825(L)
Of NH_3, inversion spectrum, M. W. P. Strandberg, R. Kyhl, T. Wentink, Jr., and R. E. Hillger—639(L)
Of NH_3, quadrupole moment, Richard J. Watts and Dudley Williams—639(L)
Atmospheric bands of O_2, Joseph Kaplan—274(A)
Coupling of nuclear quadrupole moments in polyatomic molecules, J. H. Van Vleck—468(A)
Hyperfine structure of NH_3, Walter Gordy and Myer Kessler—640(L)
Inversion spectrum of NH_3, M. W. P. Strandberg, R. Kyhl, T. Wentink, Jr., and R. E. Hillger—326(L)
Molecular coupling effects, J. G. Valatin—458(L)
Spectra and calculation of thermodynamic quantities, Enos E. Witmer—137(A)
Spectroscopic study of hydrogen peroxide, thermal combination of hydrogen and oxygen, R. B. Holt and O. Oldenberg—479(A)
Ultraviolet bands of N_2, R. B. Setlow, Roland Meyerott, and W. W. Watson—133(A)

Spectroscopy, technique
Automatically recording spectrograph for infra-red, Alvin H. Nielsen—831(A)
Microwave spectrograph, Richard H. Hughes and E. Bright Wilson, Jr.—562(L)

Thermal conductivity
In liquid He, Lothar Meyer and William Band—828(L)
Of natural and synthetic rubbers, H. D. Smith, T. McC. Dauphinee, and D. G. Ivey—487(A)

Thermodynamics
Equilibria of second order, E. O. Hall—916(L)
Spectra and calculation of thermodynamic quantities, Enos E. Witmer—137(A)

X-rays, absorption
K absorption of Ge and As in $GeCl_4$ and $AsCl_3$, S. T. Stephenson—84
K x-ray absorption of Si, Vola P. Barton and George A. Lindsay—406; Erratum, 736(L)
Range-momentum of particles emitted in disintegrations induced by 100-Mev x-rays, G. S. Klaiber, E. A. Luebke, and G. C. Baldwin—649

X-rays, diffraction, scattering, reflection, refraction, and polarization
Stacking disorder in layer structures, W. H. Zachariasen—715

X-rays, emission (see also **X-rays, spectra and spectroscopy, etc.**)
Absolute energy of $K\alpha$-radiation from Ag targets, Paul Kirkpatrick and A. V. Baez—470(A), 521
Analysis of high energy spectra, G. C. Baldwin and G. S. Klaiber—554(L)
Probability of *K* ionization of Ni, Leonard T. Pockman, David L. Webster, and Paul Kirkpatrick—330, 470(A)
From thick targets; 1250 to 2350 kv, W. W. Buechner, R. J. Van de Graaf, E. A. Burrill, and A. Sperduto—470(A)

X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Analysis of high energy spectra, G. C. Baldwin and G. S. Klaiber—554(L)